

INDEX
NURSING RESEARCH, 8th edition
page numbers in bold indicate glossary entries

A

- AB design, 269
- Absolute magnitude, 463
- Absolute risk, 572–573, **747**
- Absolute risk reduction (ARR), 43, 573, 673, **747**
- Abstracts, **747**
 - call for, conferences and, 707
 - in journal articles, 72
 - in the research literature, 112, 113, 118–123
 - in research proposals, 727
 - in research reports, 698, 700
- Academic Research Enhancement Awards (AREA) of NIH, 717–718
- Accessible population, 338, 339, 353
- Accidental (convenience) sampling, 341–342, **747**
- Acknowledgments, research reports and, 699, 702
- Acquiescence response set, 433, **747**
- Action research, 240
- Active reading, 74
- Active variable, 58
- Adaptation Model (Roy), 147–148, 157
- Adherence to treatment, 294–295, **747**
- Adjusted goodness-of-fit index (AGFI), 633
- Adjusted mean, 626–627
- Adjusted R², 634, 635
- Administration of self-report scales, 484–486
- Administrators, evidence-based practice and, 37
- Advances in Nursing Science*, 6, 7
- After-only (posttest-only) design, 260, 261, **747**
- Agency for Health Care Policy and Research (AHCPR), 9
- Agency for Healthcare Research & Quality (AHRQ), 9, 33, 670–671, 715, 716
- AGREE Instrument, 46
- AIDSEARCH, 111
- Aim, research, 81, 720
- Allen's McGill Model of Nursing, 146
- Allocation concealment, 257, 259–260, **747**
- Alpha (α), **747**
 - reliability (Cronbach's alpha), 455, 491–492, **749**
 - significance level, 588–589, 602–603
- Alternative hypothesis (H_A), 588
- American Journal of Nursing*, 6, 7
- American Medical Association, 168

American Nurses Association (ANA), 6, 8
 Cabinet on Nursing Research, 8
 ethical guidelines and, 168, 172–173
 professional conferences and, 707
American Nurses Credentialing Center, 4
American Nurses Foundation, 6, 7, 716
American Psychological Association (APA)
 ethical guidelines and, 168
 reference style of, 705
American Sociological Association, ethical guidelines and, 168
Analysis, 68, **747**, *see also* Data analysis; Qualitative analysis; Quantitative analysis
 of bias, 376, 649
 canonical, 628, **748**
 computers and. *See* Computer
 concept, 477
 content, 237, 517–518, **750**
 conversation, 224
 cost, 318–319
 data, 68, **751**, *see also* Data analysis
 discourse, 222, 224
 discriminant function, 627–628, **752**
 economic, 318–319, **752**
 egocentric network, 225
 event history, 631
 factor, 463, 487–491, **753**, *see also* Factor analysis
 impact, 317–318, **755**
 implementation, 317, **755**
 intention to treat, 299, 654, **756**
 item, 457, 486–487, **756**
 life table (survival), 631
 linear structural relations, 493, **757**
 of literature reviews, 131–132
 meta-analysis, 665–679, **758**, *see also* Meta-analysis
 meta-data, 683
 multiple regression, 616–623, **758**, *see also* Multiple regression
 narrative, 236–237, **759**
 negative case, 548, **759**
 on-protocol, 299, 654, **760**
 outcome, 317, **760**
 path, 274, 631–633, **761**
 power, 348, 350, **762**, *see also* Power analysis
 principal components, 487–488
 process, 317, **762**

qualitative, 507–531, **763**, *see also* Qualitative analysis
quantitative, 556–639, *see also* Quantitative analysis
regression, 614–623, **764**
reliability, 491, 501
of scale development data, 486–491
secondary, 325–326, **766**
sensitivity, 654, 675–676, **766**
statistical, 68, **767**, *see also* Quantitative analysis; Statistic(s)
styles of, qualitative, 508
subgroup, 676
survival (life table), 631, **767**
thematic, 132
unit of, 33, 354, 528, **768**

Analysis of covariance (ANCOVA), 289–290, 624–627, 638, **747**
adjusted means and, 626–627
ANOVA compared, 624, 625, 626, 627
computer example, 636, 637
multivariate (MANCOVA), 627
power analysis and, 605
procedures for, 624–626
research design and, 289–290
uses of, 624

Analysis of variance (ANOVA), 592, 596–600, **747**
ANCOVA compared, 624, 625, 626, 627
multifactor, 598–599
multiple comparison procedures and, 597
multiple regression and, 629
multivariate (MANOVA), 627
nonparametric, 599–600
one-way, 596–598
post hoc tests for, 597
power analysis for, 605
repeated measures (RM-ANOVA), 592, 599, **764**
two-way, 598–599

Analysis styles, qualitative, 508
Analysis triangulation, 548
Analytical notes, 406–407
Analytic expansion, 326
Analytic phase of quantitative research, 68
Ancestry approach, 109–110, **747**
ANCOVA. *See* Analysis of covariance
Animal subjects, 67, 186–187, 722
Annual Review of Nursing Research, 8
Anonymity, 180, 181, 424, **747**

ANOVA. *See* Analysis of variance

Appendix

- in research proposals, 722
- in theses and dissertations, 702

Applied Nursing Research, 8, 703, 704

Applied research, 19, **747**

Appraisal of Guidelines Research and Evaluation (AGREE) Instrument, 46

Aptitude test, 421

Archives, historical data and, 232–233

AREA (Academic Research Enhancement Awards) of NIH, 717–718

Area under the curve (AUC), 467

Arm, 252, **747**

Assent, 182–183, **747**

Assessment

- psychometric, 464
- research purpose, 22

Assimilatory bias, 438–439

Association of Women's Health, Obstetric, & Neonatal Nurses (AWHONN), 35

Associative relationship, 62, **747**

Assumptions, 14, **748**

- inferential statistics and, 591, 649–650
- naturalistic paradigm and, 14
- parametric tests and, 591, 649–650
- path analysis and, 633
- positivism and, 14
- testing, 649–650

Asymmetric distribution, 562, **748**

Asymmetric translation, 496

ATLAS/TI software, 513

Attention control group, 253, **748**

Attitudes, measurement of, 418, 419–420

Attribute variable, 58

Attrition, 209, 296–297, 298–299, 351, **748**

Attrition bias, 296, 298–299, 649

AUC (area under the curve), 467

Audience, research proposals, 725

Audio computer-assisted self interview (Audio-CASI), 325, 428

Audio equipment, 437

Audit, inquiry, 549, **755**

Auditability, 540

Audit trail, 545, **748**

Australian Journal of Nursing Research, 8

Authenticity, qualitative data and, 540, 541, 544, **748**

Author guidelines, 692, 705, 707, 708

Authorities, as knowledge source, 12
Authorization, participant, 178, 180
Authorship, research reports, 692
Autoethnography, 226–227, **748**
Average, 563, 674
Awareness bias, 260
Axial coding, 527, **748**
Axiologic question, paradigms and, 13, 14
Azjen-Fishbein Theory of Reasoned Action, 140, 154
Azjen's Theory of Planned Behavior, 140, 153
B
Background question, EBP and, 39
Back translation, 497–498, **748**
Balanced design, 289
Bandura's Social Cognitive Theory, 149–150, 156
Baseline data, 257, 260, **748**
Baseline risk rate, 573
Basic research, 19, **748**
Basic social process (BSP), 230, 523, **748**
Before-after (pretest-posttest) design, 260, 261, 265, **748**
Being-in-the-world, 227
Bell-shaped curve (normal distribution), 562, *see also* Normal distribution
Belmont Report, 169, 171, 173
Benchmarking data, 13, 328
Beneficence, 170–171, **748**
 freedom from exploitation and, 171
 freedom from harm and discomfort, 170–171
Benner's hermeneutical analysis, 522
"Best" evidence, 31, 32
Beta (β), **748**
 Type II errors and, 602
 weights in regression analysis, 621, 622
Between-subjects design, 204, **748**
Between-subjects test, 591, 599
Bias, 197–198, **748**
 assessment of, 298–299, 649
 attrition, 296, 298–299, 649
 awareness, 259–260
 data needs for assessing, 376
 full disclosure and, 172
 interviewer, 424
 measurement errors and, 451–452
 nonresponse, 359, 430, 649, **760**
 observational, 370, 409, 438–439

- ordering, 299
- publication, 669, 677–678, **763**
- question wording and, 426
- random, 197
- records and, 368
- research control and, 200
- research design and, 298
- response, 432–433
- response set, 432–433, 452, **765**
- sampling, 340–341, 349, 356, **765**
- selection, 276, 295, 296, 298, 299, 649
- social desirability, 432, **766**
- statistical analysis of, 649
- systematic, 197, 254
- threats to internal validity, 295–297
- Bibliographic databases, 110–117
- Bibliography, research proposal, 718
- Bimodal distribution, 562, **748**
- Binomial distribution, 586–587, **748**
- Biographical sketches, research personnel, 718
- Biophysiologic measure, 67, 371, 439–442
 - critiquing, 443
 - evaluation of, 371, 442
 - purposes of, 439–440
 - reliability and validity of, 468–469
 - selection of, 441–442
 - types of, 440–441
- Bipolar scale, 417, 420–421
- Bivariate logistic regression, 630
- Bivariate statistics, 567, **748**
 - descriptive, 567–571
 - inferential, 592, 593–610, *see also* Inferential statistics
- Black box, 316
- Blended methods, 309–312, *see also* Integration of qualitative and quantitative designs
- Blinding, 201, 259–260, **748**
- “Blind” review, 706, **748**
- Blocking, control mechanism, 288, 290
- Blocking variable, 262
- Bonferroni correction, 594, **748**
- Borrowed theory, 151
- Bracketing, 228, **748**
- Bricolage, 219
- Bricoleur, 219

BSP (basic social process), 230, 523, **748**
Budget, research proposals and, 718, 719
C
Cafeteria question, 416, 417
Calendar, event history, 418
Call for Abstracts, 707
Canadian Council on Animal Care (CCAC), 187
Canadian Health Services Research Foundation (CHSRF), 9
Canadian Institutes of Health Research, 715–716
Canadian Journal of Nursing Research, 6, 7, 704
Canadian Medical Association, 34
Canadian Nurses Association, 168
CancerLit database, 111
Cancer Nursing, 8, 704
Canonical correlation, 628, 638, **748**
Canonical correlation coefficient (R_c), 628
CAPI, 325, 381, 424, 428, **749**
CAQDAS (computed assisted qualitative data analysis software), 513
Carry-over effect, 263, 287, **748**
Case, 272, 275–276
 confirming, 356
 disconfirming, 356
Case-control study, 272–273, **748**
Case study, 235–236, 330, **748**
Case substitution, 648
Catalytic validity, 537
Categorical variable, 58, **748**
Category scheme, qualitative data and, 508, 509–511
Category system, observational, 433–435, **748**
CATI, 325, 381, 424, 428, **749**
Causality, 248–249, *see also* Causal relationship
 correlation and, 272
 counterfactual model and, 248–249
 criteria for, 249
 determinism and, 15
 research design and, 277
Causal modeling, 631–633, **748**
 path analysis, 631–633
 structural equations modeling, 633
Causal (cause-and-effect) relationship, 62, 250, **749**, *see also* Causality; Causal modeling
 criteria for, 249
 interaction with treatment, 302–303
 nonexperimental research and, 272, 276, 278

- quasi-experimental research and, 271
- research purpose, 23
- Cause-and-effect relationship. *See* Causal relationship
- Ceiling effect, 649
- Cell, **749**
 - contingency tables and, 567
 - experimental design and, 262
- Censored data, 631
- Census, 323–324, **749**
- Centered translations, 496
- Center for Research for Nursing, 8
- Central (core) category, 527, **749**
- Central limit theorem, 591
- Central tendency, 563–564, **749**, *see also* Mean
- Central tendency bias, 438
- Centre for Reviews and Dissemination, 34, 36
- Certificate of Confidentiality, 181–182, 185
- Chain sampling, 341
- Checklist, 417
 - for grant applications, 719
 - for observational research, 435
 - for self-reports, 417
- Chemical measurements, 441
- Children, as research subjects, 182–183
- Chi-square (χ^2) test, 592, 600–601, **749**
 - in logistic regression, 630
 - power analysis, 606
- CI (confidence interval), 585–587
- CINAHL database, 111–115
- Classical measurement theory (CMT), 475–476
- Cleaning data, 645
- Clinical Effectiveness*, 9
- Clinical Evidence*, 35
- Clinical fieldwork, 65–66, 83
- Clinical nursing research, 3, **749**, *see also* Evidence-based practice; Nursing research
 - biophysiological measures and, 439–440
 - experimental research and, 264
- Clinical Nursing Research*, 9, 704
- Clinical practice guidelines, 34–35, 46–47, 49
- Clinical questions, 39–40, 41
- Clinical relevance, evidence-based practice and, 45
- Clinical trial, 63, 313–316, **749**
 - critiquing, 330, 331

- evaluation research and, 316–317
- evidence-based practice and, 31–32
- phases of, 313–314
- practical (pragmatic), 304, 315–316, **762**
- randomized (RCT), 313–314
- sequential, 314–315

Closed-ended question, 414–415, **749**

- in interviews *vs.* questionnaires, 415, 424
- open-ended *versus*, 414–415
- tips for wording, 427–428, 479–480
- types of, 415–418

Closed study, 201

Closure, premature, 542

Clustering, 518

Cluster randomization, 258–259, **749**

Cluster (multistage) sampling, 347, **749**

CMapTools software, 514

Cochrane collaboration, **749**

- effect size calculation and, 673
- evidence-based practice and, 9, 30
- meta-analysis software, 674, 676
- systematic review database, 33, 111, 114

Code-and-retrieve software, 513

Codebook, 511, 646, **749**

Code of ethics, 168

Codes, in grounded theory, *see also* Coding

- Glaser and Strauss' method, 523–524
- Strauss and Corbin's method, 526–527

Coding, 67, **749**

- axial, 527, **748**
- independent, 547
- levels of, grounded theory and, 523, 524, *see also* Codes, in grounded theory
- literature reviews, 118–119
- in meta-analysis, 671–672
- in metasynthesis, 681–682
- missing values and, 644, 648
- open, 523, 526–527, **760**
- qualitative data and, 510, 511, 512, 546–548
- quantitative data and, 642, 644
- selective, 523, 527, **766**

Coefficient

- alpha (Cronbach's alpha), 455, 491–492, **749**
- canonical correlation (R_c), 628
- correlation (Pearson's r), 453, 571, 601–602, **750**, *see also* Pearson's r

- of determination (R^2), 617
- intraclass correlation, 454, 456
- multiple correlation (R), 617–618, 619, **758**
- path, 632, **761**
- phi, 592, 602, **761**
- regression (slope), 615, 616, 621, 622
- reliability, 453–454, 456–457, **764**
- standardized regression (β), 621
- validity, 460, **768**
- Coercion, 172
- Cognitive anthropology, 222
- Cognitive questioning, 480, **749**
- Cognitive test, 421–422, **749**
- Cohen's d , 603–604, 673, **749**
- Cohen's kappa, 456
- Cohort design, 208, 273, **749**
- Cohort effect, 651
- Cohort study, **749**
- Co-investigator, 55
- Colaizzi's phenomenological method, 519, 520
- Collaborative research, 10–11, 55, 722, 726
- Common factor analysis, 487–488
- Communication
 - measurement and, 451
 - of research problems, 88–93
 - research proposals and, 712–727, *see also* Research proposal
 - of research results, 71–75, *see also* Research report
- Comparison
 - constant, 230, 510, 522–523, **750**
 - multiple, 597
 - norms and, 379
 - qualitative studies and, 220–221
 - research design and, 204–205
 - time dimension and, 208
- Comparison group, 266–267, **749**
- Compensatory effects, 301
- Complementarity, 309
- Complete member research, ethnographic, 226
- Complex (multivariate) hypotheses, 96–98, *see also* Multivariate statistics
- Component design, 311–312
- Componential analysis, ethnography, 519
- Composite scale, 418–421, *see also* Scale
- Comprehension, informed consent and, 177
- Computed assisted qualitative data analysis software (CAQDAS), 513

Computer, *see also* Internet
analysis files for, 645–646
analysis of qualitative data and, 513–515
analysis of quantitative data and, 574–578, 592, 634–636
data coding for analysis, 642, 644
data entry and, 644–645
descriptive statistics and, 574–578
dissemination of research findings and, 11
electronic literature searches and, 110–117
inferential statistics and, 606–609
interviews and, 325
multivariate statistics and, 634–636
observations and, 437
Computer-assisted personal interview (CAPI), 325, 381, 424, 428, **749**
Computer-assisted telephone interview (CATI), 325, 381, 424, 428, **749**
Computer program. *See* Software
Computer Retrieval of Information on Scientific Projects (CRISP), 670
Computer search, literature reviews and, 110–117
Concealment, 172–173
Concept, 57, **749**
as component of theories, 140
concept *vs.* construct, 57
construct validity and, 461
models of nursing and, 145
Concept analysis, 477
Concept mapping, 513–514
Conceptual definition, 59, 66, 143–144, **749**
Conceptual equivalence, 496–497
Conceptual file, 513, **749**
Conceptual framework, 141, 142, 160–161, *see also* Conceptual model;
Theoretical framework; Theory
Conceptual integration, 139
Conceptual map, 141, 159, 320, **749**
Conceptual model, 57, 141, **749**, *see also* Theoretical framework; Theory
models of nursing, 145–149
non-nursing models, 149–150
purposes of, 144–145
in research reports, 693–694
of self-report scales, 474–475
Conceptual phase of research
intervention research and, 319
qualitative studies and, 69–70
quantitative studies and, 64–66
Conceptual scheme, 141

Concurrent validity, 460, **750**
Conduct and Utilization of Research in Nursing (CURN) Project, 8, 30
Conference, professional
 attending, 50
 presentation at, 707–708
Conference on Research Priorities (CORP), 6, 9–10
Confidence interval (CI), 585–587, **750**
 around a mean, 586
 around Pearson's r , 602
 around proportions, 586–587
 around risk indexes, 586–587
 for differences in proportions, 601
 for mean differences, 594–595
 in reporting results, 696
Confidence limits, 585–587, **750**
Confidentiality, 176, 180–182, **750**
 Certificate of, 181–182, 185
 subject recruitment and, 353
Confirmability, qualitative data and, 196, 539, 544, **750**
Confirmatory factor analysis, 463, 487, 493–494, **750**
Confirming cases, 356
Confounding variable, 198–200, *see also* Control, research
 analysis of covariance and 289-290
 controls for, 287-291
 data needs for controlling, 376
 identification of, 290
 sampling design, 339
 statistical control and 289-290
Congruence, qualitative research and, 540, 541, 544
Congruent methodologic approach, 528
Consent, *see also* Ethics, research
 implied, 178, **755**
 informed, 176–180, **755**
 process, 177, **762**
Consent form, 177–178, 179, **750**
Conservation Model (Levine), 146
Consistency check, 645
CONSORT guidelines, 695, 696, **750**
Constancy of conditions, 288, 294
Constant, 58
 intercept (regression), 615, 616
Constant comparison, 230, 510, 522–523, **750**
Constitutive pattern, 522
Construct, 57, 474–475, **750**, *see also* Concept

Constructive replication, 328
Constructivist paradigm. *See* Naturalistic paradigm
Construct validity, 156, 287, 299–301, 461–464, 494, **750**
Consumer of nursing research, 4
Contact information, 177, 297, **750**
Contamination of treatments, 258, **750**
Content analysis, 237, 517–518, **750**
Content validity, 458–459, 482–484, **750**
Content validity index (CVI), 459, 483–484, **750**
Contingency table, 567–568, 569, **750**
 chi-squared test and, 600
Continuous variable, 58, **750**
Contracts, government, 715
Contrast questions, ethnographic, 276
Control, research, 16, 198–201, 287–290, **750**
 evaluation of methods for, 290–291
 experimental design and, 250, 252–253
 of intrinsic extraneous factors, 287–290
 as purpose of research, 20, 21
 qualitative research and, 200–201, 220
 in scientific research, 16
 statistical, 289–290
 validity and. *See* External validity; Internal validity
Control event rate (CER), 573
Control group, 252–253, **750**
 nonequivalent, 265–267
Controlled trial, 63, **750**
Convenience (accidental) sampling, 341–342, 354, **750**
Convergent validity, 462–463, **750**
Conversation analysis, 224
Cooperation of study participants, 351, 352–353
Copyrights, 496
Core category (variable), 230, 523, 527, **750**
CORP (Conference on Research Priorities), 6, 9–10
Corporeality, 227
Correlation, 272, 568–571, **750**, *see also* Correlation coefficient; Relationships
 canonical, 628
 causation and. *see* Causality; Causal relationship
 inter-item, 486
 intraclass, 454
 inverse, 453
 item-scale, 486
 multiple, 616–617, **758**, *see also* Multiple regression
 negative, 453

- perfect, 453
- positive, 453
- power analysis and, 605–606
- regression and, 614, 616–617, *see also* Regression analysis
- testing, 601–602
- Correlational research, 272–274, **750**
 - control mechanisms and, 290–291
 - descriptive, 275
 - internal validity and, 297–298
 - interpretation and, 276–277
 - strength and limitations of, 276–278
- Correlation coefficient, 453–454, **750**
 - canonical (R_c), 628
 - multiple (R), 617–618
 - Pearson's product-moment (r), 571, 592, 601–602, 673, *see also* Pearson's r
 - population (ρ), 601
 - Spearman's rank-order (ρ), 571, 592, 602
- Correlation matrix, 571, **750**
- Corresponding author, 705
- Cost analysis, evaluation research and, 318–319
- Cost-benefit analysis, 318, **750**
- Cost-benefit assessment, evidence-based practice project and, 43, 48, 49
- Cost data, 13
- Cost-effectiveness analysis, 318, **750**
- Costs
 - data collection and, 379
 - direct, 719, **752**
 - feasibility of research problem and, 87
 - indirect (overhead), 719, **755**
 - questionnaire vs. interview, 423–424
 - research proposals and, 718, 719
- Cost-utility analysis, 318, **750–751**
- Counterbalancing, 263, **751**
- Counterfactual, 248–249, 252–253, **751**
- Counts, data transformations, 650
- Covariate, 624–626, **751**
- Cover letter, 425, 426, 719
- Cover page, research proposal, 718, 719
- Covert data collection, 172
- Cox proportional hazards model, 631
- Cramér's V , 592, 602, **751**
- Creativity, qualitative research and, 540, 541, 544
- Credibility, 196, **751**
 - researcher, 538, 550–551

- qualitative research and, 539, 541, 544
- Criterion-related validity, 459–461, 468, 494, **751**
- Criterion sampling, 356
- Critical case sampling, 356
- Critical ethnography, 238, **751**
- Critical incidents technique, 397, **751**
- Criticality, qualitative research and, 540, 541, 544
- Critical limit, 590
- Critically appraised topics (CATs), 36, **751**
- Critical region, 589, 590, **751**
- Critical theory, 152, 238, 239, **751**
- Critique, research, **751**, *see also* Review
 - of body of research, 126, 130–131
 - of data collection, 387–388, 409, 410, 443
 - of data quality, 469, 470, 552–553
 - of descriptive statistics, 578–579
 - of frameworks, 160–161
 - of hypotheses, 100, 101
 - of individual studies, 123–126, 127–130
 - of inferential statistics, 609–610
 - of interpretations, 659, 660
 - of literature reviews, 134–135
 - of meta-analysis, 684–685, 686
 - of metasynthesis, 684–685, 686
 - of mixed method studies, 329–330
 - of multivariate statistics, 636–639
 - of planning aspects, 214–215
 - of proposals, 727
 - of qualitative analysis, 530–531
 - of qualitative designs, 241, 242
 - of quantitative designs, 279, 280
 - of research problems, 100, 101
 - of research report, 708–709
 - of sampling plans, 359–361
 - of scale development studies, 499
 - of study ethics, 187, 188–189
 - of study validity, 305, 306
 - of systematic reviews, 684–685, 686
- Cronbach's alpha, 455, 491–492, **751**
- Crossover design, 261, 263, 287, 290, 291, **751**
- Cross-sectional study, 206, 208, **751**
 - qualitative research and, 221
 - retrospective designs and, 210
- Crosstab, 567–568

Cross-tabulation, 567, **751**
 chi-squared test and, 600
 computer printout of, 577
 contingency tables and, 567–568

Cross-validation, 326

Cultural issues, evidence-based practice, 11

Cultural theory, ethnography and, 152

Cumulative Index to Nursing and Allied Health Literature (CINAHL), 111–115

Cumulative (Guttman) scales, 418

CURN Project, 8, 30

Cutoff point, 466–467, 495, **751**

Cytologic measures, 441

D

d, Cohen's, 603–604, 673, **749**

Data, 60–61, **751**, *see also* Qualitative data; Quantitative data
 analysis of. *See* Data analysis
 assessment of quality, 452–469, *see also* Data quality
 baseline, 257, 260, **748**
 benchmarking, 13
 censored, 631
 cleaning of, 645
 coding, 511, 642, 644
 collection of. *See* Data collection
 converting qualitative and quantitative, 372–374
 cost, 13
 de-identified, 177
 deletion of, 646–648
 entry of, using computers, 644–645
 existing *vs.* original, 326, 367–368
 extraction of, meta-analysis, 671–672
 extraction of, metasynthesis, 681–682
 identifying needs for, 376–377
 missing, 646–649
 narrative, 60–61, *see also* Qualitative data
 preparing for analysis, 642–646
 qualitative, 60–61, **763**, *see also* Qualitative data
 quality improvement and risk, 13
 quantitative, 60, **763**, *see also* Quantitative data
 raw, 71, **764**
 recording of, 386–387, 543, 545
 saturation of, 70–71, 357, **765**
 storage of, 386–387
 transformations and, 650
 triangulation of, 543, **751**

- trustworthiness of, 537–551, **768**
- units of, 517–518
- verification, 644–645

Data analysis, 68, **751**, *see also* Qualitative analysis; Quantitative analysis

- computers and, 513–515, 574–578, 592, 606–609, 634–636
- critiquing, 578–579, 609–610, 636–639
- descriptive statistics, 556–579, *see also* Descriptive statistics
- fixed vs. random effects models, 675–676
- heterogeneity in, 674–677
- inferential statistics, bivariate, 583–610, *see also* Inferential statistics
- integrative reviews and, 674–678
- internal validity and, 298–299
- in meta-analysis, 674–678
- in metasyntesis, 682–683, 685
- multivariate statistics, 614–639, *see also* Multivariate statistics
- plan, 651–652
- preparation for, 642–646
- qualitative, 507–531, *see also* Qualitative analysis
- quantitative, 556–639, *see also* Quantitative analysis; Statistic(s)
- research proposals and, 721
- research reports and, 699–700

Database, bibliographic, 110–117

- CINAHL, 111–115
- ISI Web of Knowledge, 115
- MEDLINE, 114–115

Database of Abstracts of Reviews of Effects (DARE), 34

Data cleaning, 645

Data collection, 67, 367–388, **751**, *see also* Measurement

- biophysiological measures, 371, 439–442
- covert, 172
- critiquing, 387–388, 409, 410, 443
- development of plan for, 374–381, 485
- dimensions of approaches, 371–372
- ethics and, 186
- field issues, qualitative research, 384
- for historical research, 232–233
- identifying data needs and, 376–377
- implementing plan for, quantitative research, 381–383
- methods, overview, 368–371
- observational methods, 370–371, 402–409, 433–439, *see also* Observation
- pace of, 385
- personnel for, 381–383, *see also* Research personnel
- plan for, 67, 367–387
- preparing for, 485–486

- projective techniques, 369–370
- protocols, 381, **751**
- in qualitative research, 383–387
- quality. *See* Data quality
- in quantitative research, 374–383
- in research proposals, 721
- in research reports, 694, 699
- scale development and, 485–486
- self-report methods, 399–401, 428–432, *see also* Self-report(s)
- structured vs. unstructured, 371–372
- timing of, 206

Data collectors. *See* Research personnel

Data conversion/collection software, 514

Data entry, 644–645

Data matrix, 377, 378

Data pooling, 651

Data processing equipment. *See* Computer

Data quality

- analyses and, 649
- critiquing, 469, 470, 552–553
- measurement and, 449–452, *see also* Measurement
- in meta-analysis, 671–672, 677
- in metasynthesis, 680–681
- qualitative data and, 536–553
- quantitative data and, 452–469
 - reliability, 452–457, *see also* Reliability
 - sensitivity and specificity, 464–466
 - with single indicators, 468–469
 - validity, 457–464, *see also* Validity
- in research reports, 694, 699

Data saturation, 70–71, 357

Data set, 642, **751**

Data transformations, 650

Data triangulation, 543, **751**

Debriefing, 182, 548–549

Decentered translations, 496

Deception, 172–173

Declaration of Helsinki, 168

Declarative hypothesis, 99

Deductive hypothesis, 96

Deductive reasoning, 13, 96, **751**

Definition, 59–60

- conceptual, 59, **749**
- operational, 59, **760**

Degrees of freedom (*df*), 592, 622, **751**
De-identified data, 177
Delayed treatment, 253
Deletion, data, 646–648
 listwise, 646, **757**
 pairwise, 647–648, **760**
Delphi survey, 327–328, **751**
Demonstration, 317
Dendogram, 518
Dependability, qualitative data and, 196, 539, 540, 544, **751**
Dependent groups *t*-test, 595
Dependent variable, 58–59, **751**, *see also* Independent variable
 control and, 198
 experimental research and, 251–252
 hypotheses and, 94–95
 literature reviews and, 111
 relationships and, 61–62
 research questions and, 90–91
 in results matrices, 121
 statistical tests and, 592, 638
Descendancy approach, 110, 115, **751**
Description, as research purpose, 19–20
Descriptive correlational research, 275
Descriptive metasynthesis, 679
Descriptive notes, 406
Descriptive observation, 405
Descriptive phenomenology, 228, 519, 520, 521
Descriptive question, ethnographic, 276
Descriptive research, 274–276, **752**
 correlational, 275, *see also* Correlational research
 qualitative, 237–238
 univariate, 275–276
Descriptive statistics, 556–579, **752**
 bivariate, 567–571, *see also* Bivariate statistics
 central tendency and, 563–564
 computers and, 574–578
 critiquing, 578–579
 frequency distributions and, 559–562
 levels of measurement and, 556–559
 risk indexes, 571–574
 variability and, 564–567, *see also* Variability
Descriptive theory, 140, 714
Design. *See* Research design; Sampling
Design phase of quantitative research project, 66–67

Detailed approach, phenomenological analysis, 521
Determinism, 15, **752**
Deviant case analysis, 548
Deviant case sampling, 355
Deviation score, 565, **752**
Diagnosis, research purpose, 22
Diary, 397
 field, 405, 406, **754**
 structured, 418
Dichotomous question, 415, 416, 417
Dichotomous variable, 58, **752**
Diekelmann's hermeneutical analysis, 522
Diffusion of Innovations Theory (Rogers), 37
Dilemmas, ethical, 169–170
Direct costs, 719, **752**
Directed settings, 371
Directional hypothesis, 98–99, **752**
Direct research utilization, 29
Disabled people, as vulnerable subjects, 183
Disclosure, full, 172–173, **754**
Discomfort, freedom from, 170–171
Disconfirming cases, 356, 548
Discourse analysis, 222, 224
Discrete variable, 58, **752**
Discriminability, 462
Discriminant analysis, 627–628, 638, **752**
Discriminant function, 628
Discriminant validity, 462–463, **752**
Discrimination index, 487
Discussion section
 in journal articles, 73–74
 in meta-analytic reports, 678–679
 in research reports, 697–698, 700
Dispersion. *See* Variability
Disproportionate sampling, 346, **752**
Dissemination of research results, 11, 691–709, *see also* Research report
 audiences for, 691–692
 developing a plan for, 692–693
 dissertations and theses, 701–703
 electronic publication, 707
 journal articles, 703–706
 professional conferences and, 707–708
 qualitative studies, 71, 699–700
 quantitative studies, 68, 693–699

- selecting an outlet for, 691
- writing effectively, 693
- Dissertations, 701–703
 - audience for, 725
 - online abstracts, 111
 - proposals for, 713–714
- Distribution
 - asymmetric (skewed), 562, **748**
 - bimodal, 562, **748**
 - binomial, 586–587, **748**
 - central tendency and, 563–564
 - frequency, 559–562, **754**, *see also* Frequency distribution
 - multimodal, 562, **758**
 - normal (bell-shaped curve), 562, **760**, *see also* Normal distribution
 - sampling, 583–585, **765**
 - skewed, 562, **766**
 - symmetric, 562, **767**
 - theoretical, 584
 - unimodal, 562, **768**
 - variability of, 564–567
- Distribution-free (nonparametric) statistics, 591
- Diversification of meanings perspective, 537
- Documentation
 - of coding, 645–646
 - of decisions, in research proposal, 726
 - of informed consent, 177–178
 - in literature retrieval, 117
- Domain analysis, ethnography, 518, **752**
- Domain sampling model, 477, **752**
- Donabedian’s model of health care quality, 322
- Dose-response analysis, 252–253, 270, **752**
- Double-blind study, 201, 264–265, **752**
- Dummy variable, **752**
 - data transformations and, 650
 - multiple regression and, 618
- Duquesne school of phenomenology, 519
- E
- EBP. *See* Evidence-based practice
- Ecological psychology, 223
- Ecological validity, 11, **752**
- Economic analysis, 318–319, **752**
- Editing analysis style, 508
- EFA (exploratory factor analysis), 487–491, 493, **753**
- Effect, cause and, 248–249

Effectiveness studies, 303, **752**
Effective Public Health Practice Project (EPHPP), 34
Effect size (ES), 350–351, 603, **752**
 in appraising evidence, 43
 calculations in completed studies, 606
 frequency, in metasynthesis, 683, **754**
 intensity, in metasynthesis, 683
 manifest, in metasynthesis, 683
 meta-analysis and, 666, 672–674
 power analysis and, 602–606
 research reports and, 696
 sample size and, 350–351
Efficacy studies, 303, **752**
Efficiency of instruments, 467
Egocentric network analysis, 225, **752**
Eigenvalue, 488, **752**
Ejournal, 707
Electronic database, bibliographic, 110–117
 CINAHL, 111–115
 ISI Web of Knowledge, 115
 MEDLINE, 114–115
Electronic publication, 707
Element, **752**
 observational checklists and, 435
 sampling and, 339, 344
Eligibility criteria, 338–339, 351–352, 354, **752**
EMBASE database, 111, 117
Embedded design, case studies, 235
Embodiment, 227
Emergent design, 70, 219, **752**
Emergent fit, 526, **752**
Emic perspective, 225, **752**
Empirical evidence, 16, 18, **752**
Empirical phase of quantitative research, 67–68
Endogenous variable, 632
Endorsements, subject recruitment and, 353
Enhancement of contrast bias, 438
Environment, external validity, 302
Epistemologic question, paradigms and, 13, 14
Equipment
 audiotape, 437
 biophysiologic measures, 440–441
 data processing. *See* Computer
 feasibility of research problem and, 87

- interviews and, 325, 399–400
- observational research and, 437–438
- in research proposals, 632
- videotape, 437

Equivalence

- conceptual, 496–497
- reliability and, 455–456
- semantic, 497

Equivalence trial, 314, **752**

ERIC database, 111

Error(s)

- of leniency, 439
- of measurement, 451–452, 468–469, **752**
- of prediction, 615, 616
- sampling, 348, 583–584, **765**
- of severity, 439
- standard, of regression coefficients, 621, 622
- standard, of the mean, 584–585, **766**
- transcription, 509
- Type I and Type II, 588–589, **768**

Error term (*e*), 117–118, 615–616, **753**

Estimation procedures, **753**

- inferential statistics and, 585–587
- least squares, 615, 629, **757**
- maximum likelihood, 493, 629, 633, **757**
- missing values and, 648

Eta-squared, 605, 627, **753**

Ethical advisory boards, 184

Ethical dilemma, 169–170

Ethics, research, 18, 67, 70, 167–189, **753**, *see also* Rights, human subjects

- animal research and, 186–187
- beneficence and, 170–171, **748**
- codes of ethics and, 168
- confidentiality, 180–182
- critiquing, 187, 188–189
- debriefings and referrals, 182
- ethical dilemmas in, 169–170
- experimental research and, 272
- external reviews and, 184–185
- feasibility of research problem and, 88
- historical background and, 167–168
- informed consent, 176–180
- Institutional Review Boards and, 184–185, 722
- Internet research and, 173

- justice and, 173–174
- nonexperimental research and, 272
- observational research and, 172
- regulations for, 168–169
- research design and, 185–186
- research misconduct, 187–188
- in research proposals, 721–722
- respect for human dignity and, 171–173
- risk/benefit ratio, 174–176
- vulnerable subjects and, 182–184

Ethnography, 64, 222, 224–227, **753**, *See also* Qualitative research

- auto-ethnography, 226–227, **748**
- critical ethnography, 238, **751**
- critiquing studies, 241, 330
- data analysis and, 518–519
- data collection and, 384, 385
- fieldwork and, 224
- focused, 224–225
- history of, 239
- institutional, 226
- interviews and, 276
- literature reviews and, 106
- participant observation and, 402, *see also* Participant observation
- performance, 225–226, **761**
- research questions and, 91
- research reports and, 699, 700
- sampling and, 357–358
- statement of purpose and, 89
- theoretical frameworks and, 143, 151–152

Ethnomethodologic experiment, 223

Ethnomethodology, 223, **753**

Ethnonursing research, 226, 519, **753**

Ethnoscience, 222

Ethology, 222, 223

Etic perspective, 225, **753**

Evaluation research, 316–319, 330, 331, **753**

Event history analysis, 631

Event history calendar, 418, **753**

Event sampling, 437, **753**

Evidence

- appraising, 42–44, 46–47, 48
- "best," 31, 32
- finding, 40, 42, 46–47
- implementing, 44, 47–49

- integrating, 44
- Evidence-based medicine (EBM), 8, 30
- Evidence-Based Medicine Reviews*, 35
- Evidence-Based Nursing*, 35
- Evidence-based practice (EBP), 28–50, **753**, *see also* Research utilization
 - appraising evidence, 42–44, 46–47
 - assessing implementation potential, 47–49
 - barriers to, 36–37
 - clinical practice guidelines and, 34–35, 46–47, 49
 - clinical questions for, 39–40, 41
 - critically appraised topics and, 36
 - data collection and, 367
 - definition of, 3, 28
 - designs and research evidence, 278–279
 - evaluating outcomes in, 44
 - finding evidence for, 40, 42, 46–47
 - history of EBP movement, 30–31
 - implementing and evaluating an innovation, 49–50
 - implementing evidence in, 44
 - in individual nursing practice, 39–42
 - integrating evidence in, 44
 - integrative reviews and, 32–34, 665
 - models and theories of, 37, 38
 - in nursing, 30–32
 - in nursing research, 3–5, 9, 10
 - in organizational context, 45–50
 - pilot testing, 49–50
 - replication and, 328
 - research purposes linked to, 22–23
 - research utilization and, 28–30
 - resources for, 32–37
 - selecting problem for project, 45–46
 - sources of evidence, 12–13
 - steps in, 39–44
 - systematic reviews and, 32–34, 665–679
 - types of evidence for, 31–32
- Evidence hierarchy, 12, 13, 31–32, **753**
- Evidence report, 33
- Exclusion criteria, 338–339, **753**
- Exemplars, hermeneutic analysis and, 522
- Exogenous variable, 631–632, **753**
- Expectation maximization, 648
- Expected frequency, 600
- Expedited review, IRBs, 185

Experience
 as knowledge source, 12
 of researcher, 87, 720, 726
 source of research problems, 83

Experiment, 63, 250–265, **753**, *see also* Intervention
 ANCOVA and, 624
 causality and, 249
 characteristics of, 250–260
 clinical trials, 313–316
 control and, 250, 252–253
 designs for, 260–263
 double-blind, 264–265
 ethical constraints and, 272
 ethnomethodologic, 223
 evaluation research and, 316–319
 internal validity and, 297–298
 intervention research and, 319–321
 natural, 274
 quasi-experiments and, 265, 270–271, *see also* Quasi-Experiment
 single-subject, 269
 strengths and limitations of, 263–265

Experimental event rate (EER), 573

Experimental group, 252, **753**

Experimental intervention (treatment), 63, 162, 251, 721, *see also* Intervention

Experimental research, 63, *see also* Experiment

Expert panels, 475, 481–484

Explanation, as research purpose, 20, 21

Explication, in mixed method studies, 310–311

Explicitness, qualitative research and, 540, 541, 544

Exploitation, freedom from, 171

Exploration, as research purpose, 20–21

Exploratory factor analysis (EFA), 487–491, 493, **753**

Exploratory research, 20–21, 273–274

Exposure, in wording clinical questions, 40

External criticism, 234, **753**

External review, ethical issues and, 184–185

External validity, 287, 301–303, **753**, *see also* Generalizability
 enhancements to, 302
 internal validity and, 303–305
 RE-AIM framework and, 304, 321, **764**
 sampling and, 302
 threats to, 302–303

Extraction, factor, 487–489, **753**

Extraneous variable, 198–200, **753**, *see also* Control, research

- analysis of covariance and, 289–290
- controls for, 287–291
- data needs for controlling, 376
- identification of, 290
- sampling design and, 339
- statistical control and, 289–290

Extreme (deviant) case sampling, 355

Extreme response set bias, 432, **753**

F

F. *See* *F*-ratio

Fabrication of research, 188

Face-to-face (personal) interview, 324, *see also* Interview

Face validity, 458, **753**

Facilities

- feasibility of study and, 87
- research proposals and, 718

Factor, 487

- in factor analysis, 463, 487
- in factorial designs, 261–262

Factor analysis, 463, 487–491, **753**

- confirmatory, 463, 487, 493–494, **750**
- construct validity and, 463, 494
- exploratory, 487–491, **753**
- factor extraction, 487–489, **753**
- factor loadings, 490, 491, **753**
- factor matrix, 488, 490–491
- factor rotation, 489–491, **753**

Factorial design, 260–262, **753**

Fail-safe number, 677–678, **753**

Fair treatment, right to, 173–174

Falsification of research, 188

Feasibility

- evidence-based practice projects, 47, 48, 49
- pilot studies and, 213
- of research problem, 86–88

Feasibility study, 213, **753**

Federal funding, research proposals, 715–716

Feminist research, 239–240, **754**

Field diary, 405, 406, **754**

Field notes, 405–408, **754**

Field research, 17, **754**, *see also* Ethnography; Qualitative research

Fieldwork

- clinical, 57, 65–66, 83, **754**
- ethnographic, 224

Figures, in reports, 679, 697, 700
File, conceptual, 513, **749**
Filter question, 428
Finding aid, 233
Findings, 72–73, **754**, *see also* Interpretation of results; Results
Fisher's exact test, 592, 601, **754**
Fit, 523, 526, **754**
Fittingness, 360, 539–540
Fixed alternative question, 414–415, **754**, *see also* Closed-ended question
Fixed effects model, 675, **754**
Flag, missing values, 646
Flesch Reading Ease score, 178, 480
Floor effect, 649
Focused ethnography, 224
Focused interview, 394, **754**
Focused observations, 405
Focus group, 477, 481
Focus group interview, 394–396, **754**
 data analysis and, 527–529
FOG index, 178
Follow-up reminders, 431
Follow-up study, 209–210, **754**
Forced-choice question, 416, 417, **754**
Foreground question, EBP and, 39–40, 41, 90–91
Forest plot, 674, 675, 679, **754**
Form(s)
 for data collection, 380–381, 384
 informed consent, 177–178, 179, **750**
 for meta-analysis, 671, 672
 for NIH grant application, 718–719
Formal grounded theory, 231, **754**
Formative evaluation, 317, **754**
Foundations, research funding and, 716, 725
Framework, 57, 66, 142–144, **754**, *see also* Conceptual model; Theoretical
 framework; Theory
 critiquing, 160–161
 of quality criteria, 538–540
F-ratio, 596, **753**
 in analysis of covariance, 626
 in analysis of variance, 596–597
 in multiple regression, 618–619, 622, 627
Freedom
 degrees of, 592, **751**
 from exploitation, 171

from harm and discomfort, 170–171

Frequency (*f*), 561, 600

Frequency distribution, 559–562, **754**, *see also* Distribution
central tendency of, 563–564
computer printout of, 576–578
construction of, 560–561
graphic display of, 561
shapes of, 562
variability of, 564–567

Frequency effect size, 683, **754**

Frequency polygon, 561, **754**

Friedman test, 592, 600, **754**

Front matter
research proposals, 718–719
research reports, 701

Fruit problem, meta-analysis, 667

Full disclosure, 172–173, **754**

Full information maximum likelihood (FIML), 633

Full text online literature retrieval, 117

Functional relationship, 62, **754**

Funder, 56

Funding for research, 714–716, 725

Funnel plot, 677, 678, **754**

G

Gadamerian hermeneutics, 521

Gaining entrée, 70, 206, 207, **754**

Gatekeeper, 70, 206

Gaussian distribution, 562

Generalizability, 16, 202, **754**
discussion section of research reports, 698
external validity and, 301–302
interpretation of results and, 658
multisite research and, 341
in qualitative research, 17, 337, 539
in quantitative research, 202
sampling designs and, 338, 353
of themes, 132
transferability of data and, 539

Giorgi's phenomenological method, 519, 520

Glaser and Strauss' grounded theory method, 231, 522–526, 527

Going native, 386, **754**

Goldmark Report, 5, 6, 7

Goodness-of-fit index (GFI), 633

Goodness-of-fit statistic, 493, 630

Grand mean, 597
Grand theory, 141
Grand tour question, 392–393, **754**
Grant, 715, **754**, *see also* Research proposal
Grant application, 716–717
Grantsmanship, 712, 725, **754**
Graphic rating scale, 435, **755**
Grey literature, 110, 669, **755**
Grounded theory, 63–64, 222, 223, 229–232, **755**, *see also* Qualitative research
 alternative views of, 231, 522–527
 critiquing studies, 241
 data analysis and, 522–527
 data collection and, 384, 385
 formal grounded theory, 231
 Glaser and Strauss' method, 231, 522–526, 527
 interviews and, 393
 literature reviews and, 105
 participant observation and, 402, *see also* Participant observation
 research questions and, 91
 research reports and, 699, 700
 sampling and, 358–359
 statement of purpose and, 89
 Strauss and Corbin's method and, 231, 526–527
 symbolic interaction and, 152, 230
 theory and, 143–144, 152
Group comparisons, 204–205
Guba and Lincoln's framework, 539, 544
Guideline, clinical practice, 34–35, 46–47, 49
Guttman (cumulative) scale, 418
H
Halo effect, 439
Hand-searching journals, 670, **755**
HAPI database, 111
Harm
 freedom from, 170–171
 prevention of, 22–23
Hawthorne effect, 264, 300, **755**
Hazards model, 631
Health as Expanding Consciousness Model (Newman), 146
Health Belief Model (Becker), 150, 154
Health Care Systems Model (Neuman), 146
Health disparities, 11
Health Insurance Portability and Accountability Act of 1996 (HIPAA), 174, 177,
 178, 180, 233–234, 368

Health Promotion Model (Pender), 141, 142, 148–149, 153
Heart & Lung, 8, 704
Heideggerian hermeneutics, 521
Hermeneutic circle, 229, 521
Hermeneutics, 222, 223, 229, 521–522, **755**
Heterogeneity, 58, 564, **755**, *see also* Homogeneity; Variability
 factors affecting, 676–677
 identifying, 674–675
 in meta-analysis, 674–677
 statistical, 669
Hierarchical multiple regression, 619–620, 635, **755**
HIPAA (Health Insurance Portability and Accountability Act of 1996), 174, 177,
 178, 180, 233–234, 368
Histogram, 561, 577, **755**
Historical comparison group, 266–267
Historical research, 222, 224, 232–234, 368, **755**
 themes in, 132
History threat, 295–296, 298, **755**
Holistic approach, phenomenological analysis, 519, 521
Holistic design, case studies, 235
Homogeneity, 58, 564, **755**, *see also* Heterogeneity; Variability
 of measures (internal consistency), 454–455
 research design and, 287–288, 290, 291, 293
 of sample and reliability of measures, 457
 sampling and, 340–341, 350, 355
Homogeneous sampling, 350, 355
Human rights, research subjects and. *See* Ethics, research; Rights, human subjects
Human subjects committee, 184
Hybrid designs, efficacy and effectiveness, 316
HyperSEARCH software, 513
Hypothesis, 66, 81, 93–100, **755**
 alternative (H_A), 588
 characteristics of, 94–95
 complex, 96–98
 critique of, 100, 101
 deductive, 96
 derivation of, 95–96
 directional, 98–99, **752**
 function of, 94
 generation of in qualitative research, 310, 525
 inductive, 95–96
 in meta-analysis, 666–667
 moderator variables and, 98
 nondirectional, 98–99, **759**

null (statistical), 99, 587–588, **760**
research (substantive), 99, **765**
in research reports, 693
rival, 271, **765**
simple, 96–97
testing of, 99–100, *see also* Hypothesis testing
theories and, 94, 153
wording of, 96–98

Hypothesis testing, 73, 587–593, *see also* Inferential statistics; Statistic(s)
critical regions and, 589
data needs, 376
estimation of parameters *vs.*, 585
level of significance and, 588–589
null hypothesis and, 587–588
one-tailed and two-tailed tests, 590–591
overview of procedures for, 591–593
parametric and nonparametric tests and, 591
tests of statistical significance and, 589–591
Type I and Type II errors and, 588
unreliable measures and, 456

Hypothesized relationships, 461–462

I

I-CVI (item CVI), 459, 483, 484

Ideational theory, 152

Identical (literal) replication, 328

Identification, as research purpose, 19–20

Identification (ID) number, 180

Ideological perspectives, research with, 238–240
critical theory, 238, 239
feminist research, 239–240
participatory action research, 240

Immersion/crystallization analysis style, 508

Impact analysis, 317–318, **755**

Impact factor, journals and, 703, **755**

Implementation analysis, 317, **755**

Implementation potential, research utilization, 47–49, **755**

Implications of results, 658–659, 698

Implied consent, 178, **755**

Imputations, missing data and, 648

IMRAD format, 71–72, 699, 701, 708, **755**

Incentives, sample recruitment and, 352

Incidence rate, 275–276, **755**

Incidence study, 275–276

Inclusion criteria, 338–339

Independent groups *t*-test, 592, 593–594

Independent variable, 58–59, **755**

- control over, 252
- dependent variables and, 58–59
- experimental research and, 251–252
- hypotheses and, 94–95
- literature reviews and, 111
- nonexperimental research and, 271–272
- power and, 292
- predictors, in multiple regression, 616
- relationships and, 61–62
- research questions and, 90–91
- statistical tests and, 592, 638

Index of inconsistency, 468

Indicators approach, needs assessments, 327

Indirect costs, 719, **755**

Indirect research utilization, 29

Individually identifiable health information (IIHI), 178, 180

Induction, qualitative analysis and, 515

Inductive hypothesis, 95–96

Inductive reasoning, 13, **755**

- theory development and, 145, 158

Inference

- credibility and, 653–654
- observations and, 434–435
- statistical, 583, *see also* Inferential statistics
- validity and, 286–291, 653

Inferential statistics, 556, 583–610, **755**, *see also* Hypothesis testing; Multivariate statistics

- analysis of variance, 596–600
- assumptions and, 583, 649–650
- chi-squared test, 600–601
- computers and, 606–609
- confidence intervals and, 585–587, 594–595, 601
- critiquing, 609–610
- effect size and, 602–606
- guide to bivariate tests, 592
- hypothesis testing and, 587–593, *see also* Hypothesis testing
- interpretation of, 653–659
- multivariate, 614–639, *see also* Multivariate statistics
- parameter estimation and, 585–587
- power analysis and, 602–606
- probability sampling and, 583
- sampling distributions and, 583–585

testing correlations, 601–602
t-tests, 593–594, 595
Informant, 55, **755**, *see also* Study participant; Subject key, 55, **756**, *see also* Key informant
Informed consent, 176–180, **755**
 comprehension of, 177
 content of, 176–177
 documentation of, 177–178
In-person interview, 324, *see also* Personal interview
Inquiry audit, 549, **755**
Insider research, ethnography and, 226, **755**
Institute for Scientific Information (ISI), 111, 115
Institutional ethnography, 226
Institutionalized people, vulnerability as subjects, 183
Institutional Review Board (IRB), 184–185, 189, **755**
Instructions to Authors, 705
Instrument, **755**, *see also* Data collection; Measurement
 assessment of, 452–467, *see also* Data quality; Reliability; Validity
 development of, mixed method research and, 310
 errors of measurement and, 451–452
 psychometric assessment of, 464
 reliability of, 452–457
 researchers as, 225
 screening, 352
 selecting and developing, 377, 379–380
 stability of, 453–454
 validity of, 457–464
Instrumentation threat, 297, 298, **755–756**
Integrated design, 311–312
Integration of qualitative and quantitative designs, 309–312
Integrative review, 32–34, 665–686, *See also* Meta-analysis; Metasynthesis;
 Systematic review
Integrity, qualitative research and, 536, 540, 541, 544
Intelligence test, 421
Intensity effect size, 683, **756**
Intensity sampling, 355–356, **756**
Intention to treat, 299, 654, **756**
Interaction effect, 262, 599, 658, **756**
Intercept constant (*a*), 615, 616
Intercoder reliability, 644, 672, **756**
Inter-item correlation, 486
Internal consistency reliability, 454–455, **756**
Internal criticism, 234, **756**
Internal validity, 287, 295–299, **756**

- data analysis and, 298–299
- external validity and, 303–305
- research designs and, 297–298
- threats to, 295–297

International Council of Nurses (ICN), 168

International Journal of Nursing Studies, 6, 7, 704

Internet

- for data collection, 381
- dissemination of research and, 11, 707
- electronic publication, 707
- ethics and data collection, 173
- funding opportunities and, 715
- interviews and, 393–394
- literature searches and, 110
- MEDLINE and, 114
- narrative data and, 398–399
- surveys and, 424, 431–432

Interobserver (interrater) reliability, 439, 455–456

Interpretation of results, 68, 653–659

- correlational research and, 276–277
- credibility of results and, 653–654
- critiquing, 659, 660
- data needs and, 376
- discussion section of report and, 698, 700
- generalizability of results and, 658
- hypothesized results and, 655
- implications of results and, 658–659
- importance of results and, 658
- meaning of results and, 654–658
- mixed results and, 657–658
- nonsignificant results and, 656–657
- qualitative research and, 529–530, 552, 700
- sampling and, 344, 353
- unhypothesized results and, 657

Interpretive phenomenology, 228, 229, 521–522

Interrater (interobserver) reliability, 439, 455–456, 671, 672, **756**

Interrupted time series design, 267–269, **768**

Interval estimation, 585–587, **756**

Interval measurement, 557–558, **756**

Intervention, 63, 162, 251, *see also* Clinical Trial; Experiment

- clinical questions and, 40
- clinical trials and, 313–316
- development of, 311
- ethical considerations and, 186, 272

- evaluation research and, 316–319
- experimental research and, 252
- monitoring, 294
- nonexperimental research and, 272
- patient-centered, 251–252
- protocol for, 66, 294, **756**
- qualitative research and, 220
- quasi-experimental research and, 265
- research proposals and, 721
- research purpose, 22
- standardization of, 294
- strength of, 270, 292, 294
- theory-based, 155–156

Intervention fidelity, 214, 294, 303, **756**

Intervention research, 22, 319–321, 331, **756**

Intervention theory, 319–320, **756**

Interview, 324, **756**, *see also* Self-report(s)

- critical incidents technique, 397, **751**
- focused, 394, **754**
- focus group, 394–396, 527–529, **754**
- implementing, 399–401, 429–430
- Internet, 393–394
- joint, 396
- life history, 396, **757**
- mock, 383
- oral history, 396–397, **760**
- personal (face-to-face), 324, **761**
- photo elicitation, 398, **761**
- questionnaire *versus*, 423–425
- response variance reinterview, 468
- semistructured, 394, **766**
- structured, 414
- telephone, 324
- think-aloud method, 398
- unstructured, 392, **768**

Interviewer, *see also* Research personnel

- bias and, 424
- developing rapport and, 400, 429, 430
- focus group, 394–395
- listening skills and, 400
- probing and, 394, 429
- structured interviews and, 429–430
- unstructured interviews and, 399–401

Interview schedule, 414, **756**

- administration of, 428–430
- development of, 425–428
- introduction to, 425

Intraclass correlation coefficient, 454, 456

Introduction

- journal article, 72
- research report, 693–694, 699

Intuiting, 228, **756**

Intuition, knowledge source, 13

Inverse (negative) relationship, 453, **756**

Inverse variance method, 674, **756**

Investigation, 55, *see also* Research; Study

Investigator, 55

Investigator triangulation, 517, 546–547, **756**

In vitro measurements, 440, 441

In vivo codes, 523

In vivo measurements, 440–441

Iowa Model of Research in Practice, 37, 38

IRB, 184–185, 189

ISI Web of Knowledge, 115

Isomorphism, 450

Item(s), 414, **756**, *See also* Scale; Scale development and testing

- analysis of, 457, 486–487, **756**
- content validity of, 482–483
- developing pool of, 476–477
- difficulty of, 487
- double-barreled, 479
- evaluation of, 480–484
- intensity of, 478–479
- number of and reliability, 457, 477–478
- ordering, 486
- positive and negative stems for, 478
- questions and, 414, *see also* Question(s)
- sampling of, errors of measurement and, 452, 455
- time frames of, 479
- wording, 479–480

Item analysis, 457, **756**

Item CVI (I-CVI), 459, 483, 484

Item response theory (IRT), 476

Item reversal, 420, 650

Item-scale correlation, 486

J

Jargon, research, 55, 74, 75, 479

Joanna Briggs Institute, 9, 34, 36

Johnson's Self-Regulation Theory, 157
Joint interview, 396
Jottings, 408
Journal(s), 68
 hand-searching, 670
 impact factor of, 703
 preparation of manuscripts for, 705
 refereed, 706, **764**
 reflexive, 228, *see also* Reflexivity
 review of manuscripts, 706
 selecting, 703, 705
 submission of manuscript to, 705–706
 as unstructured data, 397
Journal article, 68, 71–75, **756**, *see also* Journal(s); Research report
 abstracts in, 72
 content of, 71–74
 discussion section in, 73–74
 IMRAD format, 71–72, 699
 introduction in, 72
 method section in, 72
 reading, 74–75
 results section in, 72–73
 style of, 74
Journal Citation Reports, 703
Journal club, 4, 50, **756**
Journal of Advanced Nursing, 8, 704
Journal of Nursing Scholarship, 7
Judgmental (purposive) sampling, 343
Justice, 173–174
 right to fair treatment and, 173–174
 right to privacy and, 174
K
Kappa, 456, **756**
Kendall's tau, 592, 602, **756**
Key informant, 55, 358, **756**
 ethnographic research, 358
 needs assessments, 327
Keywords, **756**
 literature search, 110–111
 research reports, 698
Knowledge, sources of, 12–13
Knowledge-focused trigger, 38, 45
Known-groups technique, 461, **756–757**
Kruskal-Wallis test, 592, 599–600, **757**

L

- Laboratory setting, 57
- Latent trait scale, 475, 476, 479, **757**
- Latent variable, 474, 493, 633, **757**
- Law, 144, **757**
- Laws of probability, 583
- Lazarus and Folkman's Theory of Stress and Coping, 150
- Lead author, 692
- Leading question, 427
- Least-squares estimation, 493, 615, 629, **757**
- Leininger's Theory of Culture Care Diversity, 146
- Leniency, error of, 439
- Letters of support, grant application, 722
- Letting-go-of-validity perspective, 537
- Level(s)
 - of coding, grounded theory, 523, 524
 - in factorial experiment, 262
- Level of measurement, 556–559, **757**
 - comparison of levels, 558–559
 - descriptive statistics and, 564, 567, 568
 - inferential statistics and, 592
 - multivariate statistics and, 638
- Level of significance, 73, 588–589, **757**
 - hypothesis testing and, 588–589
 - power analysis and, 602–603
- Levene's test, 607
- Levine's Conservation Model, 146
- Life history, 396, **757**
- Life table (survival) analysis, 631
- Likelihood index, 630, **757**
- Likelihood ratio (LR), 465–466, **757**
- Likert scale, 418–420, 475–476, 477, 478, **757**, *see also* Scale development and testing
- Limitations
 - discussion of, 73–74
 - of the scientific approach, 16–17
 - of a study, 73–74
- Lincoln and Guba's qualitative integrity framework, 539, 544
- Linear regression, 615, **757**
 - multiple, 616–623, *see also* Multiple regression
 - simple, 614–616
- LISREL (linear structural relation analysis), 493, **757**
- Listwise deletion, 646, **757**
- Literal (identical) replication, 328

Literature review, 65, 69, 105–135, **757**
abstracting and recording information for, 118–123
analyzing and synthesizing information, 131–132
bibliographic database searches, 110–117
coding studies for, 118–119
content of, 133
critiquing, 134–135
documentation for, 117
evaluating and critiquing evidence, 123–131
integrative, 32–34, 665–686
locating sources for, 109–117
matrices for, 119, 121–123
meta-analysis, 665–679, *see also* Meta-analysis
organizing, 132–133
primary and secondary questions for, 108–109
protocol for, 119, 120
purposes of, 106–107
qualitative research and, 69, 105–106
research proposals and, 106
research reports and, 106, 693
scope of, 106–107
screening and gathering references for, 117
as source of research problem, 83
steps and strategies for, 107–108
style of, 133–134
systematic review, 32–34, 665–686, *see also* Systematic review
types of information for, 107
writing, 133–134

Literature search, 110–117
in meta-analysis, 669–670
in metasynthesis, 681

Lived body, 227
Lived human relation, 227
Lived space, 227
Lived time, 227

Loading, factor, 490, 491
Log, observational, 405, 406, **757**
Logical positivism, 14, **757**
Logical reasoning, 13
Logistic regression, 629–630, 638, **757**
Logit, 629, **757**
Longitudinal study, 208–210, **757**
attrition and, 209
contact information and, 177, 297

prospective studies and, 210

qualitative research and, 221

M

Macroethnography, 224

Macrotheory (grand theory), 141

Magnet Recognition Program, 4

Magnitude estimation scaling, 418

Mailed questionnaires, 324, 424, 425, 426, 430–431, *see also* Questionnaire

Main effect, 261–262, 599, **757**

MANCOVA, 627, 638

Manifest effect size, 683

Manifest variable, 493, **757**

Manipulation, 251–252, **757**, *see also* Experiment; Intervention; Treatment

ethical constraints and, 272

experimental research and, 250, 251–252

nonexperimental research and, 271–272

qualitative research and, 220

Manipulation check, 294, 376, **757**

Mann-Whitney *U* test, 592, 596, **757**

MANOVA, 627, 638, **757**

Manual

procedures, 295

for scales, 495

training, 382–383

Manuscript, research report, 140, 705–706, *see also* Dissemination; Research report

Map, conceptual, 141, 159, 320, 513–514, **749**

Mapping, electronic searches and, 110–111

Marginals, 645, **757**

Masking, 201, 220, 259–260, 271

Matching (pair matching), 198–199, 254, 288–289, 291, **757**

propensity, 266

in quasi-experiments, 266

in retrospective designs, 273

Materialistic theory, 152

Matrix

correlation, 571, **750**

data, 377, 378

factor, 488, 490–491

literature reviews and, 119, 121–123

meta, 529

multitrait-multimethod, 462–463, **759**

question, 417

rectangular, 646, **764**

Maturation threat, 296, 298, **757**

Maximum likelihood estimation, 493, 629, 633, **757**

Maximum variation sampling, 355, **757**

McGill Model of Nursing (Allen), 146

McMaster Medical School, 8, 30

McNemar test, 592, 601, **758**

Mean, 563–564, **758**

- adjusted, 626–627
- computation of, 563
- estimation of, 585–586
- grand, 597
- population (μ), 586
- sampling distribution of, 584
- standard error of, 584–585
- standardized mean difference, 673
- substitution, missing values, 648
- testing differences between two groups, 593–596, *see also t-test*
- testing differences between 3+ groups, 596–600, *see also Analysis of variance*

Meaning,

- interpretive phenomenology and, 228, 229
- research purpose, 23

Mean square (MS), 597, 618

Mean substitution, 648

Measurement, 449–452, **758**, *see also Data collection; Instrument; Measures*

- advantages of, 450–451
- error of, 451–452, 468–469, **752**
- interval, 557–558, **756**
- levels of, 556–559, **757**, *see also Level of Measurement*
- nominal, 556–557, 558, **759**
- operational definitions and, 59
- ordinal, 557, **760**
- problems of, 16
- quality of, 449–469
- ratio, 558, **764**
- reactive, 468
- reliability of instruments and, 452–457, *see also Reliability*
- rules and, 449–450
- scale, 418–421, *see also Scale*
- validity of instruments and, 457–464, *see also Validity*

Measurement model, 493, 494, **758**

Measures, *see also Data collection; Instrument; Measurement*

- assessment of, 452
- biopsiologic, 371, 440–442
- composite scales, 418–421

- observational, 433–436
- outcome, 58, **760**
- projective, 369–370
- selecting types of, 377
- self-report, 414–443
- Median, 563, 564, **758**
- Median substitution, 648
- Median test, 592, 595–596, **758**
- Mediating variable, 91, 98, 632, **758**
- Medical Research Council of Canada, 8
- MEDLINE database, 111, 114–115
- Member check, 545–546, **758**
 - focus groups and, 545
- Memos, in qualitative research, 387, 407–408, 524–525
- Mentored Research Scientist Development Award (NIH), 715
- MeSH vocabulary, MEDLINE, 114–115
- Meta-analysis, 368, 666–679, **758**
 - advantages of, 666–667
 - analyzing data, 674–678
 - calculating effects, 672–674
 - criteria for using, 667
 - critiquing, 684–685, 686
 - designing, 668–669
 - evaluating study quality in, 670–671
 - evidence-based practice and, 33
 - extracting and encoding data for, 671–672
 - formulating problem in, 667–668
 - literature searches in, 669–670
 - software for, 674
 - steps in, 667–679
 - writing reports, 678–679
- Meta-data analysis, 683
- Metaethnography, 682
- Metamatrix, 529, **758**
- Meta-method, 683
- Metaphor, 516–517, 682
- Meta-regression, 676, **758**
- Meta-study, 679
- Meta-summary, 683, **758**
- Metasynthesis, 33, 665–666, 679–686, **758**
 - analyzing and interpreting data in, 682–683, 685
 - critiquing, 684–685, 686
 - descriptive, 679
 - effect sizes and, 683

- evaluating study quality in, 681
- extracting and encoding data for, 681–682
- literature search in, 681
- Noblit and Hare, 682
- Paterson and colleagues, 682–683
- problem formulation in, 680
- Sandelowski and Barroso, 683, 685
- steps in, 680–686
- study design in, 680–681
- theory-building, 679
- theory-explication, 679
- types of, 679–680
- writing reports, 685–686

Meta-theory, 683

Method, scientific, 16–17

Methodologic decisions, 130–131, 720

Methodologic notes, 406, 407

Methodologic question, paradigms and, 13, 14

Methodologic research, 328–329, 330, **758**

Methodologic themes, 132

Methods, research, 15–17, 66–67, **758**, *see also* Data collection; Measurement; Qualitative analysis; Quantitative analysis; Research Design; Sampling

Method section

- in journal articles, 72
- in meta-analytic reports, 678
- in research proposals, 720–721
- in research reports, 694–695, 699–700

Method slurring, qualitative research, 224

Method triangulation, 543, **758**

Microbiologic measures, 441

Microethnography, 224–225

Middle-range theory, 141, **758**

Minimal risk, 172, 175, **758**

Misconduct, research, 187–188

Mishel’s Uncertainty in Illness Theory, 149

Missing values, 644, **758**

- coding for computer analysis, 644
- handling, 646–649
- questionnaire vs. interview, 424

Mixed method research, 309–312, **758**

- applications of, 310–311
- data analysis and, 529
- designs and strategies, 311–312
- rationale for, 309–310

Mixed mode survey strategy, 324, **758**
Mixed results, 657–658
Mobile positioning, 405
Mock interview, 383
Modality, 562, **758**
Mode, 563, 564, **758**
Model, **758**, *see also specific models*
 causal, 631–633, **748**, *see also* Causal modeling
 conceptual, 141, **749**, *see also* Conceptual model; Theory
 of evidence-based practice, 37, 38
 measurement, 493, 494, **758**
 nonrecursive, 633, **759**
 origin of, 144
 path, 631–633
 proportional hazards, 631, **763**
 recursive, 631, **764**
 schematic, 141, 142
 structural equations, 493, 633
Model of health care quality (Donabedian), 322
Moderator, focus group, 394–395
Moderator variable, 90–91, 98, **758**
Modernism, 14
Modular budget, 719
Module, self-report instruments and, 425
Molar approach, 433
Molecular approach, 433
Mortality threat, 296–297, 298, **758**
Multicollinearity, 636, **758**
Multidimensional scaling, 418
Multidisciplinary research, 10–11
Multifactor ANOVA, 598–599
Multimodal distribution, 562, **758**
Multinomial logistic regression, 630
Multiple case study, 235, 236
Multiple choice question, 416, 417
Multiple comparison procedures, 597, **758**
Multiple correlation, 614, 616–617, *see also* Multiple regression
Multiple correlation coefficient (R), 617, **758**
Multiple imputation, 648
Multiple positioning, 405
Multiple regression, 616–623, 638, **758**, *see also* Regression analysis
 basic concepts, 616–618
 comparison with ANOVA, 629
 comparison with discriminant analysis, 627–628

- computer example, 634–636
- entry of predictors in, 619–620
- hierarchical, 619–620, 635, **755**
- missing values estimation and, 648
- relative contribution of predictors in, 620–621
- results of, 621–622
- sample size and, 622–623
- simple regression and, 614–616
- simultaneous, 619, **766**
- stepwise, 620, **767**
- tests of significance and, 618–619

Multiple scalogram analysis, 418

Multirater kappa, 456

Multisite study, 10, 57, 313, 341

Multistage (cluster) sampling, 347, **758–759**

Multitrait-multimethod matrix method (MTMM), 462–463, **759**

Multivariate analysis of covariance (MANCOVA), 627, 638

Multivariate analysis of variance (MANOVA), 627, 638, **759**

Multivariate statistics, 614–639, **759**

- analysis of covariance, 624–627, *see also* Analysis of covariance
- canonical analysis, 628
- causal modeling, 631–633
- computers and, 634–636
- critiquing, 636–639
- discriminant analysis, 627–628
- guide to, 638
- life table (survival) analysis, 631
- logistic regression, 629–630
- multiple regression, 616–623, *see also* Multiple regression
- multivariate analysis of covariance, 627
- multivariate analysis of variance, 627
- path analysis, 631–633
- proportional hazards model, 631
- structural equations modeling, 633
- survival analysis, 631

N

N, 560–561, 591, 602, 603, 606, **759**

n, 604, **759**

Narrative analysis, 236–237, **759**

Narrative data, 60–61, *see also* Qualitative data

- on the Internet, 398–399

National Center for Nursing Research (NCNR), 8

National Guideline Clearinghouse, 34

National Health Research Development Program (NHRDP), 8

National Institute for Clinical Excellence, 34
National Institute of Nursing Research (NINR), 9, 169, 715, 716, 718, 725–726
National Institutes of Health (NIH), 8, 299, 715
 funding mechanisms, 715
 grant applications to, 716–723
 nursing research within, 8, 9
 review process and, 722–723
 schedule of review cycles, 716–717
 types of grants, 717–718
National Library of Medicine (NLM), 114
National Statement on Ethical Conduct, 169
Natural experiment, 274, **759**
Naturalistic methods, 17, *see also* Qualitative research
Naturalistic paradigm, 14, 15, **759**
Naturalistic setting, 57, **759**
Nay-sayer, 433
Needs assessment, 327, 330, 331, **759**
Negative case analysis, 548, **759**
Negatively skewed distribution, 562, **759**
Negative predictive value (NPV), 465, **759**
Negative (inverse) relationship, 453, **759**
Negative result, 293–294, 590, **759**
Net effects, 626, **759**
Net impact, 317
Network (snowball) sampling, 341, **759**
Neuman's Health Care Systems Model, 146, 153
Neuropsychological test, 421–422
Newman's Health as Expanding Consciousness Model, 146
Nightingale, Florence, 5, 6
NIH. *See* National Institutes of Health
NINR. *See* National Institute of Nursing Research
Noblit and Hare approach, metaethnography and, 682
N-of-1 study, 269
Nominal measurement, 556–557, 558, **759**
Nominated sampling, **759**
Nondirectional hypothesis, 98–99, **759**
Nonequivalent control-group design, 265–267, 269, **759**
Nonexperimental research, 63, 271–278, **759**
 correlational research, 272–274, *see also* Correlational research
 descriptive research, 274–276
 strengths and limitations of, 276–278
 types of, 272–274
Noninferiority trial, 314, **759**
Nonparametric analysis of variance, 599–600

Nonparametric statistics, 591, 592, 595–596, **759**

Nonprobability sampling, 340, 341–344, **759**, *see also* Sample; Sampling convenience (accidental), 341–342
evaluation of, 344
purposive (judgmental), 343, 355–356
quota, 342–343
snowball (network), 341, 354–355
theoretical, 356–357

Nonrecursive model, 633, **759**

Nonresponse bias, 359, 430, 649, **760**

Nonsignificant result, 293–294, 590, 656–657, **760**

Normal distribution (bell-shaped curve), 562, **760**
assumption of, inferential statistics, 649–650
critical regions and, 589
description of, 562
sampling distributions and, 584
standard deviations and, 566

Norms, 379, 495, **760**

Notes
field, 405–408
personal, 407, **761**

Novelty effect, 301

NUD*IST software, 513

Null (statistical) hypothesis, 99, 587–588, **760**, *see also* Hypothesis testing

Number needed to treat (NNT), 574, **760**

Nuremberg code, 168

Nurse(s)
barriers to evidence-based practice and, 36, *see also* Evidence-based practice
research utilization and, 29–30, *see also* Research Utilization

Nursing. *See* Nursing practice; Nursing research

Nursing intervention research, 319–321

Nursing interventions, classification systems for, 323

Nursing practice, 3–5
conceptual models of, 145–149
evidence-based practice, 3–5, 8, 10, 28–50, *see also* Evidence-based practice
research in, 3–4
as source of research problems, 83
utilization of research in, 28–30, 39–50, *see also* Research utilization

Nursing research, 3–24, **760**, *see also* Research
barriers to utilization of, 36–37
breakthroughs in, 7, 8, 9, 10
clinical, 3
conceptual models for, 145–149, *see also* Conceptual model; Theoretical
framework; Theory

- consumer-producer continuum, 4–5
- funding for, 9, 714–716, 725
- future directions in, 10–11
- historical evolution of, 5–10
- importance of, 3–4
- paradigms for, 13–18
- priorities for, 7–10, 11
- purposes of, 19–23
- quantitative *versus* qualitative, 15–17
- roles of nurses in, 4–5, 50
- sources of evidence and, 12–13
- theoretical contexts and, 151
- utilization of, 28–30, *see also* Research utilization

Nursing Research, 6, 7, 68, 72, 83, 703, 704, 706

Nursing Science Quarterly, 8

NVivo software, 513

O

Objective, research, 81, 720

Objectivity, 15, 196, **760**

- confirmability of qualitative data and, 196

- data collection and, 372

- literature reviews and, 74, 133

- meta-analysis and, 666

- paradigms and, 15

- problem statement and, 89

- research journal articles and, 74

Oblique rotation, 490, **760**

Observation, data collection method, 67, 370–371, **760**

- advantages and disadvantages of, 370–371

- critiquing, 409, 410

- equipment for, 437–438

- ethical issues and, 172

- evaluation of, 438–439

- existing instruments for, 436

- mechanical aids in, 437–438

- nonexperimental research and, 271

- nonresearch observers and, 438

- observer bias, 438–439

- observer-observed relationship, 402–403

- participant, 402–409, *see also* Participant observation

- persistent, 542, **761**

- recording, 433–436

- sampling and, 436–437

- settings for, 371

- source of scale items, 477
- structured, 433–439
- training observers for, 439
- unstructured, 402–409

Observational notes, 406, 407, **760**

Observational study, 63, 695, *see also* Nonexperimental research

Observed frequency, 600

Observed (obtained) score, 451, 456, **760**

Observer

- bias, 370, 409, 438–439
- interrater reliability, 439, 455–456
- relationship with observed, 402–403
- training of, 439

Obtained (observed) score, 451, 456

Obtrusiveness, of data collection, 372

Odds, 574, 629, 673, **760**

Odds ratio (OR), 574, 629–630, 673, **760**

Office of Human Research Protections (OHRP), 185

OLS (ordinary least squares) regression, 615, **760**

One-group pretest-posttest design, 267

One-tailed test, 590–591, **760**

One-variable (univariate) statistics, 559–567, *see also* Descriptive statistics

One-way analysis of variance, 596–598

Online Journal of Clinical Innovation, 11

Online Journal of Issues in Nursing, 707

Online Journal of Knowledge Synthesis for Nursing, 11

Online publishing, 11

On-protocol analysis, 299, 654, **760**

Ontologic question, paradigms and, 13, 14

Open coding, 523, 526–527, **760**

Open-ended question, 414–415, **760**

- closed ended *versus*, 414–415
- coding of responses, 644
- in interviews *vs.* questionnaires, 415, 424
- probing and, 429
- recording of responses for, 414

Open study, 201

Operational definition, 59, **760**

Operationalization, **760**

Operational (virtual) replication, 328

Oral history, 396–397, **760**

Oral report, 707–708

Ordering bias, 299

Ordering effects, 651

Ordinal measurement, 557, **760**
Ordinary least squares (OLS) regression, 615, **760**
Orem's Self-Care Model, 57, 146–147, 157, 158
Organization of research projects, 210–213
Organizations
 cooperation of, 87
 evidence-based practice in, 36–37, 45–50
Orthogonal rotation, 490, **760**
Outcome analysis, 317, **760**
Outcomes
 evaluating, 44
 measuring, 323
 in wording clinical questions, 40
Outcomes Management for Nursing Practice, 9
Outcomes research, 321–323, 330, **760**
Outcome variable (measure), 58, **760**, *see also* Dependent variable
Outlier, 645, **760**
Overhead costs, 719
P
Paired *t*-tests, 592, 595
Pair matching, 288, *see also* Matching
Pairwise deletion, 647–648, **760**
Panels, expert, 475, 481–484
Panel study, 209, **761**
Paper format thesis, 702
Paradigm, 13–18, **761**
 assumptions of, 14–15
 methods and, 15–17
 naturalistic, 14, 15, **759**
 positivist, 14–15, 16, **762**
 research problems and, 17–18, 81–82
Paradigm cases, 522
Parameter, 556, **761**
 estimation of, 585–587
Parametric statistics, 591, **761**
 guide to, 592
Parent study, 213
Parse's Theory of Human Becoming, 147, 153
Partially randomized patient preference (PRPP), 259, 270, **761**
Participant. *See* Study participant
Participant observation, 402–409, **761**
 in ethnography, 225
 evaluation of, 409
 gathering observational data and, 404–405

- getting started in, 403–404
- observer-participant role, 402–403
- phases of, 402
- recording observations and, 405–408
- risk of bias and, 409
- types of observation for, 405

Participation in treatment, 294–295

Participatory action research (PAR), 240, **761**

Paterson and colleagues, metasynthesis and, 682–683

Path analysis, 274, 631–633, **761**

Path coefficient, 632, **761**

Path diagram, 631, 632, **761**

Patient-centered intervention (PCI), 251–252, **761**

Patient risk adjustments, 323

Pattern, constitutive, 522

Patterns of association, qualitative research, 62, 518

PCA (principal components analysis), 487–488, 494

Pearson's r , 571, **761**, *see also* Correlation

- computer example of, 608–609
- inferential statistical and, 592, 601–602
- in meta-analysis, 673
- power analysis and, 605–606
- simple regression and, 614–615

Peer debriefing, 548–549, **761**

Peer research, ethnographic, 226

Peer review

- electronic publication and, 707
- research proposals and, 712–713, 722–723
- research reports and, 706

Peer reviewer, 56, 706, 712–713, 722–723, 725, **761**

Pendantic dramatism, 237, **761**

Pender's Health Promotion Model, 141, 142, 148–149, 153

Percentages, 561

Perfect relationship, 453, **761**

Performance ethnography, 225–226, **761**

Permission, use of instrument and, 375, 380

Permuted block randomization, 259, **761**

Persistent observation, 542, **761**

Personal (face-to-face) interview, 324, **761**, *see also* Interview; Self-report(s)

Personal notes, 407, **761**

Personnel. *See* Research personnel

Person triangulation, 543, **761**

Persuasive utilization, 29

Phases

- of clinical trials, 313–314
- of exploratory factor analysis, 487–491
- of participant observation, 402
- of quantitative data analysis, 643
- of a quantitative research project, 64–68

Phenomenological research, 64, 222, 223, 227–229, **761**

- critiquing, 241
- data analysis and, 519–522
- data collection and, 384, 385
- descriptive, 228, 519, 520, 521
- interpretive, 228, 229, 521–522
- interviews and, 276
- literature reviews and, 105
- research questions and, 91
- research reports and, 699, 700
- sampling and, 358
- statement of purpose and, 89
- theory and, 151

Phenomenon, 57, **761**

Phi coefficient, 592, 602, **761**

Philosophical questions, paradigms and, 13, 14

Photo elicitation, 398, **761**

Physiologic measures. *See* Biophysiologic measure

PICOT guide, 40

Pilot study, 213–214, **761**

- evidence-based practice and, 49–50
- in intervention research, 321
- power analysis and, 603
- reporting, 659
- scheduling, 724

Pink sheet, 723

Placebo, 252, **761**

Placebo effect, 252, 264, 300, **761**

Plagiarism, 188

Plan

- data analysis, 651–652
- data collection, 67, 367–387, *see also* Data collection
- research, grant application, 719–722
- sampling, 67, 337, 352, *see also* Sampling; Sampling plan

Planning a study

- critiquing, 214–215
- pilot studies in, 213–214
- project organization, 210–213
- qualitative research, 69–70, 220

- quantitative research, 66–67
- research design overview, 203–210
- tools and concepts for, 195–202
- Point estimation, 585, **761**
- Point prevalence rate, 275, **761**
- Policies, health care, 11
- Policy research, 316
- Pooled variance *t*-test, 607
- Pooling, data, 651
- Population, 67, 337–338, **761**, *see also* Sampling
 - accessible, 338, 339, 353
 - appropriateness of measures for, 379
 - eligibility criteria and, 338–339, 351–352
 - estimation of values for, 583, *see also* Inferential statistics
 - hidden, 341
 - homogeneity of, 340–341, 350
 - identifying, 351
 - literature search and, 111
 - scales for, 475
 - target, 338, 339, 353, **767**
 - in wording clinical questions, 40
- Positioning, in observational research, 405
- Positive controls, trials with, 314
- Positively skewed distribution, 562, **762**
- Positive predictive value (PPV), 464–465, **762**
- Positive relationship, 453, **762**
- Positive result, **762**
- Positivist paradigm, 14–15, 16, **762**
- Poster session, 691, 708, **762**
- Post hoc test, 597, **762**
- Postmodernism, 15
- Postpositivist paradigm, 15
- Posttest, 260, **762**
- Posttest-only (after-only) design, 260, 261, **762**
- Power, 292, 602–603, 666, **762**
- Power analysis, 348, 350, 602–606, **762**
 - ANOVA situations, 605
 - chi-square situations, 606
 - correlation situations, 605–606
 - multiple regression situation, 622–623
 - sample size and, 348, 350
 - t*-test situations, 603–605
- Practical (pragmatic) clinical trials (PCTs), 304, 315–316, **762**
- Pragmatism, 310

Precision, 292, **762**
instruments and, 467
meta-analysis and, 666

Prediction, 21, **762**
discriminant analysis and, 628
errors of, 615
hypotheses and, 66, 93–94, *see also* Hypothesis
missing values and, 648
multiple regression and, 616–623
as research purpose, 20, 21
simple regression and, 614–616

Predictive validity, 460, **762**

Predictive values, 464–465

Predictor variables, 616

Preexperimental design, 266, 267

Preference, sequential clinical trials and, 314

Pregnant women, vulnerability as subjects, 183

Premature closure, 542

Presentations, at conferences, 707–708

Pretest, **762**
as covariate, 626
preintervention measure, 261
of self-report scales, 480–481
trial run of instrument, 67, 380, 425

Pretest-posttest (before-after) design, 260, 261, 265, 267, **762**

Prevalence rate, 275

Prevalence study, 275, 276, **762**

Primary source, 107, 233, **762**

Primary study, 665, 669

Principal components analysis (PCA), 487–488, 494

Principal investigator (PI), 55, 719, **762**

Priorities for nursing research, 7–10, 11

Priority score, 723

Prisoners, as subjects, 183

Privacy, study participants and, 174

Privacy Boards, 184

Privacy Rule, 174

Private funding, research proposals, 716, 725

Probability, laws of, 583

Probability level. *See* Level of significance

Probability sampling, 340, 344–348, **762**, *see also* Sample; Sampling
assumption of for inferential statistics, 583
cluster (multistage), 347
evaluation of, 348

- simple random, 344–345
- stratified random, 345–346
- systematic, 347–348
- Probe, 394, 429, **762**
- Problem, research. *See* Research problem
- Problem-focused trigger, 38, 45
- Problem statement, 81, 92–93, **762**, *see also* Hypothesis; Research problem
 - critiquing, 100, 101
 - in meta-analysis, 666–667
 - in research proposals, 720
 - in research reports, 141, 699
- Procedures
 - for data collection, 380–381, 443
 - manual for, 295
 - research proposals and, 721
 - section of research report, 695
- Process analysis, 317, **762**
- Process consent, 177, **762**
- Prochaska's Transtheoretical (Stages of Change) Model, 150, 251
- Producer of nursing research, 4
- Product assessment, 440
- Product-moment correlation coefficient, 571, **762**, *see also* Pearson's *r*
- Professional conference
 - attending, 50
 - presentations at, 707–708
- Prognosis, research purpose, 22
- Program of research, 10
- Program announcement (PA), 715
- Project director, 55
- Projective technique, 369–370, **762**
- Prolonged engagement, 542, **762**
- Propensity matching, 266
- Propensity score, 266, 626, **763**
- Proportion(s)
 - confidence intervals and, 586–587, 601
 - testing differences in, 600–601, 606
- Proportional hazards model, 631, **763**
- Proportionate stratified sampling, 346, **763**
- Proposal, 67, 712–727, **763**, *see also* Research proposal
- Prospective design, 210, **763**
 - nonexperimental, 273–274
 - quantitative research and, 250
- Protocol
 - data collection, 381, **751**

- intervention, 66, 294, **756**
- literature review, 119, 120
- meta-analysis, 671
- Proximity effect, 486
- Proxy report, 468
- Psychometric assessment, 464, **763**
- Psychometrics, **763**
- PsycINFO database, 111
- Publication. *See* Journal article; Research report
- Publication bias, 669, 677–678, 763
- PubMed, 114–115, 116
- Purpose, statement of, 81, 88–89, **766**
- Purposive (judgmental) sampling, **763**
 - in qualitative research, 355–356
 - in quantitative research, 343
- p*-value, 592, 621, 622, **760**, *see also* Level of significance
- Q
- Q sort, 422–423, **763**
- Qualitative analysis, 507–531, **763**, *see also* Qualitative research
 - analysis styles, 508
 - analytic procedures, 515–517
 - challenges of, 507–508
 - computers and, 513–515
 - critiquing, 530–531
 - data management and organization, 508–515
 - ethnographic data and, 518–519
 - focus group data and, 527–529
 - grounded theory methods in, 522–527
 - induction and, 515
 - interpretation and, 529–530
 - mixed method studies and, 529
 - phenomenological analysis, 519–522
 - process of, 508
 - in research reports, 700
- Qualitative content analysis, 237, 517–518
- Qualitative data, 17, 60–61, **763**, *see also* Qualitative research
 - analysis of. *See* Qualitative analysis
 - coding of, 510, 511, 512
 - critiquing quality of, 552–553
 - enhancing quality and integrity of, 536–553
 - observational methods and, 404–408
 - organization of, 511, 513–515
 - quantitizing, 373–374
 - self-reports and, 392–401

Qualitative Health Research, 9, 220–221, 700, 703, 704

Qualitative research, 15, 17, **763**, *see also* Qualitative analysis; Qualitative data activities in, 68–71
analysis and, 507–531, *see also* Qualitative analysis; Qualitative data critiquing, 124, 127–131, 360–361, 552–553
data collection and. *See* Unstructured data collection
descriptive, 236–237
ethical issues and, 170–171, 175, 177, 181, 185
evidence-based practice and, 31
integration with quantitative research, 309–312
interpretation of results and, 529–530, 700
literature reviews and, 105–106
paradigms and, 15, 17
quality and integrity in, 536–553, *see also* Quality enhancement, qualitative research
recording information for, 543, 545
research design and, 219–242, *see also* Research design, qualitative studies
research problems and, 82
research proposals and, 713
research questions in, 91–92
research reports and, 699–700
research traditions in, 63–64, 221–234
research utilization and, 31
rigor in, 536–537
sampling in, 353–359, 360–361
standards for, 537–538
terminology for, 538
theories and, 151–153
validity in, 536–537

Qualitizing data, 373, **763**

Quality-adjusted life year (QALY), 318

Quality assessments
in meta-analysis, 670–671, 677
in metasynthesis, 680–681

Quality enhancement, qualitative research, 536–553
criteria frameworks for, 538–540, 541
critiquing, 552–553
quality-minded outlook and, 551–552
rigor and, 536–537
standards and, 537–538
strategies for, 540, 542–551
terminology and, 538
validity and, 536–537

Quality Health Outcomes Model, 322

Quality improvement and risk data, 13

Quantifiability, 372

Quantification, 449, *see also* Measurement

Quantitative analysis, 556–639, **763**, *see also* Hypothesis testing; Statistic(s);
Statistical tests
coding and, 642, 644
computers and, 574–578, 606–609, 634–636
critiquing, 578–579, 609–610, 636–639
data entry for, 644–645
descriptive statistics, 556–579, *see also* Descriptive statistics
flow of tasks in, 643
inferential statistics, 583–610, *see also* Inferential statistics
internal validity and, 298–299
interpretation of results and, 653–659
measurement levels and, 556–559
missing values and, 646–649
multivariate statistics and, 614–639, *see also* Multivariate statistics
phases of, 643
 interpretation, 653–659
 preanalysis phase, 642, 643, 644–646
 preliminary assessments and actions, 646–651
 principal analyses, 651–653
in research reports, 695–697

Quantitative data, 16, 60, **763**, *see also* Measurement; Quantitative analysis;
Structured data collection
analysis of. *See* Quantitative analysis; Statistic(s)
assessment of data quality, 452–469, 649, *see also* Data quality
coding of, 642, 644
measurement and, 449–452, *see also* Measurement
observations and, 433–439
preparing for analysis, 642–646
qualitizing, 373
self-reports and, 414–433

Quantitative research, 16–17, **763**, *see also* Quantitative analysis
critiquing, 124, 125–126, 359–360
data collection and. *See* Structured data collection
experimental and nonexperimental studies in, 63
integration with qualitative research, 309–312
positivist paradigm and, 16–17
research designs and, 203–210, 248–279, *see also* Research design, quantitative
studies
research problems and, 81–83
research questions in, 90–91
sampling in, 337–353, 359–360

- scientific method and, 16–17
- steps in, 64–68
- theories and, 153–160

Quantitizing data, 373–374, 517, **763**

Quasi-experiment, 265–271, **763**

- ANCOVA and, 624
- causality and, 271
- designs for, 265–270
- experimental and comparison conditions, 270–271
- internal validity and, 297–298
- strengths and limitations of, 271

Quasi-statistics, 374, 517, **763**

Query letter, 705, **763**

Question(s), *see also specific question types*; Items

- background, 39
- clinical, 39–40, 41
- closed-ended (fixed-alternative), 414–415, **749**
- cognitive, 480, **749**
- ethnographic, 276
- filter, 428
- fixed alternative, 414–415, **754**
- foreground, 39–40, 41, 90–91
- grand tour, 392, **754**
- items and, 414
- leading, 427
- open-ended, 414–415, **760**
- order of, 424, 425
- philosophical, paradigms and, 13, 14
- research, 64–65, 81, 90–91, 666–667, **765**
- tips for wording, 425–427
- types of, 414–418

Questionnaire, 324, 414, **763**, *see also* Self-report(s)

- administration of, 430–432
- audio-CASI, 325, 428
- cover letter for, 425, 426
- development of, 425–428
- implied consent and, 178
- Internet and, 431–432
- interviews *versus*, 423–425
- mailed, 324
- response rates and, 430–431
- surveys and, 324

Quota sampling, 342–343, **763**

Quotes, research reports, 700

R

R, 617–618, **763**, *see also* Multiple regression

r, 571, 592, 601–602, 673, **763**, *see also* Pearson's *r*

R^2 , 617, 622, **763**, *see also* Multiple regression

Random allocation, 253

Random assignment, 253, **763**, *see also* Randomization

Random bias, 197

Random effects model, 675–676, **764**

Randomization, 253–259, 287, **764**

 basic, 254–257

 cluster, 258–259, **749**

 constraints on, 271

 experimental designs and, 250

 permuted block, 259, **761**

 principles of, 254

 procedures for, 257–258

 quasi-experimental designs and, 271

 randomized consent, 259

 random sampling *vs.*, 256–257, 344

 research control and, 287, 290, 291

 use of random number table for, 255–256

 variants of, 258–259

 Zelen design, 259

Randomized block design, 261, 262–263, **764**

Randomized clinical trial (RCT), 31–32, 250, 313–314, **764**, *see also* Clinical trial;

 Experiment

 CONSORT guidelines for, 695, 696

 double-blind, 264–265

Randomized consent, 259, **764**

Randomness, 201, 646, **764**

Random number table, 255–256, **764**

Random sampling, 340, 344–348, **764**, *see also* Probability sampling

 assumption of in inferential statistics, 583

 randomization *vs.*, 256–257, 344

Range, 564–565, **764**

 restriction of, 293–294

Rank order question, 416, 417

Rapport, establishing, 400, 404

Rasch model, 476

Rating question, 416, 417

Rating scale, observational, 435–436, **764**

Ratio measurement, 558, **764**

Ratio scaling, 418

Raw data, 71, **764**

Reactivity (reactive measurement effect), 370, 467, **764**
Readability, 178, 480, **764**
RE-AIM framework, 304, 321, **764**
Reasoning
 deductive, 13, **751**
 inductive, 13, **755**
 knowledge source and, 13
Receiver operating characteristic (ROC) curve, 466–467, 495, 502, **764**
Recodes, data, 650
Recording equipment
 interviews and, 386
 observations and, 387, 437–438
Records
 as data source, 368
 of structured observations, 433–436
Recruitment of sample, 352–353, 395
Rectangular matrix, 646, **764**
Recursive model, 631, 633, **764**
Refereed journal, 706, **764**
References
 in research report, 698
 screening for literature review, 117
Referrals, 182
Reflective notes, 406–408, **764**
Reflexive bracketing, 228
Reflexive journal, 228
Reflexivity, 202, 386, 551, **764**
Registered Nurses Association of Ontario (RNAO), 34
Regression analysis, 614, **764**
 logistic, 629–630
 multiple, 616–623, *see also* Multiple regression
 ordinary least square (OLS), 615
 path analysis and, 631–633
 simple, 614–616
Regression coefficient, 615, 616, 622
 path analysis and, 632–633
 standard error of, 621, 622
 standardized (β), 621
 tests for, 619
Regression discontinuity design, 269–270, **764**
Regulations, government, 168–169
Reinforcement theory, 94, 158
Reinstitution of treatment, 269, 270
Relationality, 227

Relationships, 61–62, 272, **764**
 associative, 62, **747**
 bivariate statistics and, 567–571
 causal (cause-and-effect), 62, 249, 250, 271, 276, **749**, *see also* Causal relationship
 construct validity and, 461–462
 correlation and, 453, 568, 602–603, *see also* Correlation
 functional, 62, **754**
 hypotheses and, 93–94, 461–462
 indexes of, 453, 601–602, *see also* Correlation
 inverse, 453, **756**
 negative (inverse), 453, **759**
 perfect, 453, **761**
 positive, 453, **762**
 research questions and, 90–91
 theories and, 140

Relative risk (RR), 276, 573, 574, 673, **764**

Relative risk reduction (RRR), 43, 574, **764**

Reliability, 196, 452–457, **764**
 coefficient alpha, 455, 491–492, **749**
 equivalence, 455–456, 715
 factors affecting, 457
 intercoder, 644, 672, **756**
 internal consistency, 454–455, **756**
 interpretation of, 456–457
 interrater (interobserver), 439, 672, **756**
 stability and, 453–454
 statistical, 196
 test-retest, 453–454, 468, **767**
 validity and, 458, 537

Reliability analysis, 491, 501

Reliability coefficient, 453–454, 456–457, **764**

Repeated measures ANOVA (RM-ANOVA), 592, 599, **764**
 multivariate, 627

Repeated measures (crossover) design, 261, 263, 287, 290, 291, **764**

Replication, 10, **764**
 in qualitative research, 551
 replication studies, 328
 stepwise, data dependability and, 547
 study validity and, 302

Replication perspective, 537

Report. *See* Research report

Representative sample, 67, 340, 344, 348, **765**

Request for Applications (RFA), 715

Request for Proposals (RFP), 715

Research, 3, **765**, *see also* Nursing research; Research design

action, 240

applied, 19, **747**

basic, 19, **748**

clinical, 3, **749**

collaborative, 10–11, 55

correlational, 272–274, **750**

critical, 239

cross-sectional, 206, 208, **751**

descriptive, 19–20, 274–276, **752**

ethnonursing, 226, 519, **753**

evaluation, 316–319, **753**

evidence-based practice and, 3–5, 13, 22–23

experimental, 250–265, **753**, *see also* Experiment

explanatory, 20, 21

exploratory, 20–21, 273–274

feminist, 239–240, **754**

field, **754**, *see also* Qualitative research

historical, 222, 224, 232–234, 368, **755**

localized, 10

longitudinal, 208–210, **757**

methodologic, 328–329, **758**

mixed method, 309–312, **758**

nonexperimental, 271–278, **759**, *see also* Nonexperimental research

nursing intervention, 319–321, **756**

observational, 63, 695, **760**, *see also* Nonexperimental research

outcomes, 321–323, **760**

participatory, 229, 240, **761**

policy, 316

preexperimental, 266, 267

purposes of, 19–23

qualitative, 15–16, **763**, *see also* Qualitative research

quantitative, 15, **763**, *see also* Quantitative research

quasi-experimental, 265–271, **763**, *see also* Quasi-experiment

risk/benefit assessments, 174–176

survey, 323–325, **767**

terminology of, 55–62

theory and, 145

translational, 10

Research, nursing. *See* Nursing research

Researchability of a problem, 86

Research aim, 81, 720

Research-based practice, 3–5, *see also* Evidence-based practice; Research utilization

Research breakthroughs, 7, 8, 9, 10

Research control. *See* Control, research

Research critique. *See* Critique, research

Research design, 66, **765**, *see also* Research design, mixed method studies; Research design, qualitative studies; Research design, quantitative studies

- in meta-analysis, 668–669
- in metasynthesis, 680
- in research proposals, 720–721
- in research reports, 694, 699

Research design, mixed method studies, 311–312

- critiquing, 329–330, 331

Research design, qualitative studies, 69–70

- characteristics of, 219
- critiquing, 241, 242
- emergent design, 219
- features of, 220–221
- ideological perspectives and, 238–240
- integration with quantitative approach, 311–312
- planning and, 220
- research traditions and, 221–234

Research design, quantitative studies, 66, 248–279, *see also* Research design; *specific designs*

- causality and, 248–249
- comparisons and, 204–205
- construct validity and, 299–301
- controls for confounding variables and, 287–291, *see also* Control, research
- critiquing, 279, 280, 359–360
- ethics and, 185–186
- evidence and, 278–279
- experimental designs, 250–265, *see also* Clinical trial
- external validity and, 301–303
- features of, 203
- integration with qualitative approach, 311–312
- internal validity and, 295–299
- nonexperimental research, 271–278
- priorities in study validity, 303–306
- quasiexperimental designs, 265–271
- statistical conclusion validity and, 291–295
- terminology in, 249–250
- timing of data collection and, 206
- types of
 - between-subjects *vs.* within-subjects, 204, 261

- cross-sectional vs. longitudinal, 206, 208
- prospective vs. retrospective, 210
- Researcher, 55
 - attributes of, 551–552
 - credibility of, 538, 550–551, **765**
 - expectancies of, 300–301
 - experience of, 87, 720, 726
 - as instrument, ethnography, 225
 - interest of, 88
 - obtrusiveness of, 372
 - principal investigator, 55, 719
 - qualifications, research proposals, 718, 720, 726
 - qualifications, research reports, 699
 - themes and, 132
- Research Ethics Boards (REBs), 184
- Research ethics committees, 184
- Research evidence
 - appraising, 42–44, 46–47
 - finding, 40, 42, 46–47
 - implementing, 44, 47–49
 - integrating, 44
- Research findings, 72–73, *see also* Implications of results; Interpretation of results; Results
- Research hypothesis, 99, 588, **765**, *see also* Hypothesis
- Research in Nursing & Health*, 6, 7, 704, 706
- Research journal article. *See* Journal article
- Research methods, **765**, *see also* Methods, research
- Research misconduct, 187–188, **765**
- Research personnel, 55–57
 - in experimental research, 294
 - feasibility of research and, 87
 - interviewers, 400–401, *see also* Interviewer
 - observers, 402–409, *see also* Observer
 - qualitative research and, 387
 - research proposals and, 718, 726
 - selection of for data collection, 381–382
 - training of, 382–383
- Research plan, grant application, 719–722
- Research problem, 81–93, **765**
 - communication of, 88–93
 - critiquing, 100, 101
 - development and refinement of, 84–88
 - evaluating, 85–88
 - feasibility of, 86–88

- formulating, 84–85
 - meta-analysis and, 666–667
 - metasynthesis and, 680
 - paradigms and, 17–18, 81–82
 - in qualitative studies, 69
 - in quantitative studies, 64–65
 - researchability of, 86
 - research proposals and, 720
 - research reports and, 693, 699
 - significance of, 86, 724–725
 - sources of, 82–84
 - terms relating to, 81
 - theoretical and conceptual context for, 139–162
- Research program, 10
- Research project, 55, *see also* Study
- organization of, 210–213
 - planning for, 66–70, 203–214
 - roles on, 55–57
- Research Project Grant (R01), NIH, 717
- Research proposal, 67, 712–727
- audience for, 725
 - content of, 712–713
 - evaluation criteria and, 717
 - functions of, 712
 - funding for, 714–716, 725
 - NIH and, 716–723
 - preparation of, tips for, 723–727
 - for qualitative research, 713
 - for theses and dissertations, 713–714
 - timeline for, 723–724
 - writing, 726–727
- Research protocol. *See* Protocol
- Research question, 64–65, 81, 90–91, **765**, *see also* Research problem
- critiquing, 100, 101
 - in meta-analysis, 666–667
 - in metasynthesis, 680
- Research report, 68, 71–75, **765**, *see also* Dissemination
- abstracts in, 72, 698, 700
 - acknowledgments, 699
 - analytic procedures in, 695, 700
 - audience for, 691–692
 - author credits and, 692
 - content of, 71–74
 - critiquing, 123–131, 708–709, *see also* Critique, research

- data collection methods in, 694, 699
- data quality issues in, 694, 699
- discussion section in, 73–74, 697–698, 700
- electronic publication, 707
- hypotheses in, 693
- IMRAD format, 699, 701, 708
- introduction in, 72, 693–694, 699
- journal articles, 71–75, 703–706
- key words and, 698
- literature reviews in, 106, 693, *see also* Literature review
- locating, 109–117
- meta-analysis and, 678–679
- metasynthesis and, 685–686
- method section in, 72, 694–695, 699–700
- overview of, 23
- presentations at conferences, 707–708
- problem statement in, 693, 699
- qualitative studies and, 699–700
- quantitative studies and, 693–699
- references in, 698
- research design in, 694, 699
- researcher qualifications and, 699
- research procedures in, 695
- results section in, 72–73, 695–697, 700
- reviewing, 75
- sampling plan in, 694, 699
- as source of research questions, 83
- style of, 74, 701
- theoretical framework in, 693–694
- theses and dissertations, 701–703
- tips on reading, 74–75
- titles of, 698, 700
- types of, 701–708

Research setting, 57, *see also* Setting, research

Research study, 55, *see also* Research; Study

Research subjects, 55, *see also* Study participant

Research team, 55–57, 726

Research utilization, 7, 9, 28–30, **765**, *see also* Evidence-based practice

- barriers to, 36–37
- continuum of, 29
- models and theories of, 37, 38
- in nursing practice, 29–30
- types of, 29

Residuals, 615, **765**

Residual variable, 632

Respect, human subjects and, 171–173
informed consent and, 176–180
right to full disclosure and, 172–173
right to self-determination and, 171–172

Respondent, 55, **765**, *see also* Study participant

Respondent-driven sampling (RDS), 341

Response alternatives, 414–418, 478, *see also* Closed-ended question

Response bias, 432–433

Response rate, 359, **765**
enhancing, questionnaires and, 431
nonresponse bias and, 359, 430
questionnaires vs. interviews, 424

Response set bias, 432–433, **765**
acquiescence, 433, **747**
errors of measurement and, 452
extreme, 432, **753**
social desirability, 432, **766**

Response variance reinterview, 468

Results, 72–73, 653, **765**
credibility of, 653–654
dissemination of. *See* Research report
generalizability of, 658, *see also* Generalizability
hypothesized, 655
implications of, 658–659
importance of, 658
interpretation of, 653–659, *see also* Interpretation of results
in journal articles, 72–73
meaning of, 654–658
mixed, 657–658
negative, 293–294, 590, **759**
nonsignificant, 293–294, 656–657, **760**
positive, **762**
unhypothesized, 657
utilizing. *See* Research utilization

Results section, research report, 72–73, 695–697, 700

Retrospective design, 210, 272–273, **765**

Retrospective interpretation, 326

Reversal, item, 420, 650

Review, *see also* Critique, research
“blind,” 706, **748**
ethical issues and, 184–185
integrative, 32–34, 665–686
literature, 65, 105–135, **757**, *see also* Literature review

- peer, 706
- research proposals to NIH and, 722–723
- scale items and, 480–484
- systematic, 10, 32–34, 665–686
- Review criteria, research proposals, 717
- Reviewers, 56
 - peer, 56, 706, 712–713, 722–723, 725
- RFA (Request for Applications), 715
- RFP (Request for Proposals), 715
- Rho, Spearman's, 571, 592, 602, **766**
- Rights, human subjects, 67, *see also* Ethics, research
 - to fair treatment, 173–174
 - to full disclosure, 172–173
 - to privacy, 174
 - research proposals and, 721–722
 - to self-determination, 171–172
 - snowball sampling and, 355
- Rigor,
 - qualitative research and, 536–537
 - quantitative design and, 286–306
- Risk/benefit ratio, 174–176, **765**
- Risk difference (RD), 573
- Risk indexes, 571–574
 - absolute risk, 572–573, **747**
 - absolute risk reduction, 43, 573, 673, **747**
 - confidence intervals around, 587
 - number needed to treat, 574
 - odds ratio, 574, 629–630, 673, **760**
 - relative risk, 276, 573, 574, 673, **764**
 - relative risk reduction, 43, 574, **764**
- Risk ratio, 573, **765**
- Risks
 - informing participants, 176
 - minimal, 175, **758**
 - patient risk adjustment, 323
- Rival hypothesis, 271, 548, **765**
- ROC curve, 466–467, 495, 502, **764**
- Rogers' Diffusion of Innovation Theory, 37
- Rogers' Science of Unitary Human Beings, 145, 147, 148, 153
- Rorschach test, 369
- Rotated factor matrix, 490–491
- Rotation, factor, 489–491, **753**
- Roy's Adaptation Model, 147–148, 157

S

Salient similarity index, 494–495

Sample, 55, 67, 339–340, **765**, *see also* Sample size; Sampling

characteristics, data needs and, 376

eligibility criteria and, 338–339

ethics and, 186

generalizing from, 353

intake, 651

recruiting, 352–353

representativeness of, 67, 340, **765**

Sample size, 348

in metasynthesis, 681

in multiple regression, 622–623

power analysis and, 348, 602–606, 623

qualitative studies and, 357

quantitative studies and, 348–351

research proposals and, 721

standard errors and, 584–585

for testing scales, 485

Type II errors and, 603

Sample survey, 323–324

Sampling, 67, 337–361, **765**, *see also* Sample; Sample size; Sampling plan;

specific types of sampling

accidental, 341–342, **747**

basic concepts, 337–341

bias and, 340–341, 356

chain, 341

cluster, 347, **749**

convenience, 341–342, 354, **750**

criterion, 356

critical case, 356

disproportionate, 346, **752**

domain sampling model, 477

event, 437, **753**

external validity and, 302

extreme case, 355

implementing, plan for, 351–353

intensity, 355–356, **756**

items, in measuring instruments, 452, 455

judgmental, 343

maximum variation, 355, **757**

meta-analysis and, 668–669

metasynthesis and, 680–681

multistage, 347, **758–759**

network, 341, **759**
nominated, **759**
nonprobability, 340, 341–344, **759**, *see also* Nonprobability sampling
observational, 436–437
populations and, 337–338
probability, 340, 344–348, **762**, *see also* Probability sampling
proportionate stratified, 346, **763**
purposive, 343, 355–356, **763**
qualitative research and, 353–359
quota, 342–343, **763**
random, 340, 344–348, **764**
in research reports, 694, 699
respondent-driven, 341
sample size and, 348–351, *see also* Sample size
scale development and, 484–485, 495
simple random, 344–345, **766**
snowball, 341, 354–355, **766**
strata and, 340
stratified random, 345–346, **767**
systematic, 347–348, **767**
theoretical, 356–357, **767–768**
time, 436–437, **768**
typical case, 356
Sampling bias, 340–341, 356, **765**
Sampling distribution, 583–585, **765**
Sampling error, 348, 583–584, **765**
Sampling frame, 339, 344–345, **765**
Sampling interval, 347
Sampling plan, 67, 337, 352, **765**
 critiquing, 359–361
 in research proposals, 721
 in research reports, 694, 699
 in scale development, 484–485
Sandelowski and Barroso approach, metasynthesis and, 683, 685
SAQ (self-administered questionnaire), 324, 414, *see also* Questionnaire
SAS (Statistical Analysis System), 642
Saturation, data, 70–71, 357, **765**
Scale, 418–421, 422, **765**
 bipolar, 420–421
 content validity of, 483–484
 copyrighting, 496
 cut-off points for, 495
 deciding on types of, 475–476
 development of. *See* Scale development and testing

- establishing norms for, 495
- existing, 421, 422
- graphic rating, 435, **755**
- Guttman (cumulative), 418
- items for, 476–480
- latent trait, 475, 476, 479
- Likert, 418–420, 475–476, **757**
- manual for, 495
- positive and negative stems for, 478
- pretesting, 480–481
- rating, observational, 435–436, **764**
- readability of, 480
- response options for, 478
- response set bias and, 432–433
- revising, 492
- scoring, 419–420, 421, 486, 492, 650
- semantic differential, 420–421, **766**
- standardization of, 495
- summated rating, 420, *see also* Likert scale
- testing. *See* Scale development and testing
- Thurstone, 418
- transforming, 492
- translating into other languages, 496–499
- validation studies for, 492–495
- visual analogue, 417–418, **768**
- websites for locating, 422
- Scale development and testing
 - analysis of development data, 486–491
 - conceptualizing and item generation, 474–480
 - critiquing, 499
 - item evaluation, 480–484
 - refinement and validation, 491–496
 - sample administration, 484–486
 - translating into other languages, 496–499
- Scale product technique, 492
- Scatter plot (scatter diagram), 568, 569, 570–571, **765**
- Schedule, research projects and, 212, 213
- Schematic model, 141, 142
- Scholarly Inquiry for Nursing Practice*, 8
- Science of Unitary Human Beings (Rogers), 147, 148
- Scientific hypothesis, 99, *see also* Hypothesis
- Scientific merit, 196, **765**
- Scientific method, 16–17, **765**, *see also* Quantitative research
 - assumptions of, 15

- characteristics of, 16
- limitations of, 16–17
- Scientific misconduct, 187–188
- Scientific research. *See* Research; Scientific method
- Scientific Review Group (SRG), 722
- Score(s)
 - deviation, 565, **752**
 - obtained (observed), 451, 456, **760**
 - priority, 723
 - propensity, 266, 626, **763**
 - scales and, 419–420, 421, 486, 492
 - standard (z), 492, 621, **766**
 - true, 451, 456, **768**
 - z , 492, 621, **769**
- Screening instrument, **765–766**
 - clinical, 466–467
 - ROC curves and, 466–467, 495, 502
 - sample recruitment and, 352
- Scree test, 488, 489
- S-CVI (scale-CVI), 459, 483–484
- Search, literature, 110–117, *see also* Literature review
 - in meta-analysis, 669–670
 - in metasynthesis, 681
- Search engine, Internet, 110
- Secondary analysis, 325–326, **766**
 - critiquing, 331
 - of qualitative data, 326–327
 - of quantitative data, 325–326
 - records and, 368
- Secondary source, 107, 233, **766**
- Seeds, snowball sampling and, 341
- Selection, random, 340, 344–348
 - random assignment *vs.*, 256–257, 344
- Selection threat (self-selection), 276, 295, 296, 298, 649, **766**
- Selective approach, phenomenological analysis, 521
- Selective coding, 523, 527, **766**
- Selective deposit of records, 368
- Selective observations, 405
- Selective survival of records, 368
- Self-administered questionnaire (SAQ), 324, 414, *see also* Questionnaire
- Self-Care Model (Orem), 57, 146–147, 157, 158
- Self-determination, 171–172, **766**
- Self-efficacy, 149
- Self-Regulation Theory (Johnson), 157

Self-report(s), 67, 324, 369–370, 392–401, **766**, *see also* Interview; Questionnaire;
Scale

- administration of, 428–432
- advantages and disadvantages of, 369–370
- cognitive and neuropsychological tests, 421–422
- composite scales, 418–421
- critical incidents, 397
- critiquing, 409, 410
- diaries and journals, 397
- evaluation of, 401, 432–433
- focus group interviews, 394–396
- gathering, 399–401
- joint interviews, 396
- life histories, 396
- narratives on Internet, 398–399
- oral histories, 396–397
- photo elicitation interviews, 398
- Q sorts, 422–423
- qualitative methods and, 392–401
- quantitative instruments and, 414–433, *see also* Instrument
- questionnaires vs. interviews, 423–425
- response bias, 425, 432–433
- scales, 418–421, *see also* Scale
- structured questions, 414–418
- think-aloud method, 398
- types of questions, 414–418
- unstructured and semistructured interviews, 392–394
- vignettes, 423

Self-selection (selection threat), 276, 295, 298, **766**

SEM (standard error of the mean), 584–585

SEM (structural equation modeling), 493, 632, 633, **767**

Semantic differential scale, 420–421, **766**

Semantic equivalence, 497

Semiotics, 222, 224

Semistructured interview, 394, **766**

Sensitivity, **766**

- analysis, 654, 675–676, **766**
- calculating, 464–466
- of measures, 351
- qualitative research and, 540, 541, 544
- quantitative research and, 464–466
- sample size and, 351

Sensitivity analysis, 654, 675–676, **766**

Sensitizing framework, 57

Separate variance *t*-test, 607
Sequential clinical trial, 314–315, **766**
Setting, research, 57, **766**
 directed, 371
 focus groups and, 395
 interviews and, 399
 laboratory, 57
 naturalistic, 57, **759**
 qualitative research and, 221
 research reports and, 699
Severity, error of, 439
Shared theory, 151
Short form, informed consent, 178
Show card, 429
Sigma Theta Tau, 5, 6, 9, 11, 707, 716
Significance
 practical vs. statistical, 658
 of research problems, 86, 724–725
Significance, statistical, 73, 590, **767**
 interpreting results and, 658
 level of, 73, 588–589, **766**
 power analysis and, 603
 practical significance vs., 563–564
 tests of, 589–591, *see also* Statistical tests
Sign test, **766**
Simple hypothesis, 96–97
Simple linear regression, 614–616
Simple random sampling, 344–345, **766**
Simultaneous multiple regression, 619, **766**
Single-blind study, 201, 260
Single case study, 235
Single positioning, 405
Single-subject experiment, 269, **766**
Site, 57, 205–206, **766**
 gaining access to, 69–70, 206, 207
 multiple, 57, 221
 for qualitative research, 221
 selection of, 205
 visits to, 205–206
Skewed distribution, 562, **766**
Skip pattern, 428
Small Grant Program, NIH, 718
SMOG index, 178
Snowball (network) sampling, **766**

- in qualitative research, 354–355
- in quantitative research, 341
- Social Cognitive Theory (Bandura), 149–150, 156
- Social desirability response bias, 432, **766**
- Social issues, source of research problem, 83–84
- Social-psychological scale, 418–421, *see also* Scale
- Software
 - electronic literature search and, 110–111, 114
 - meta-analysis and, 674, 676
 - qualitative analysis and, 513–515
 - statistical analysis and, 574, 634, 642
- Sources
 - of evidence, 12–13
 - primary, 107, 233
 - of qualitative data, 508
 - of research problems, 82–84
 - secondary, 107, 233
- Space triangulation, 543, **766**
- Spatiality, 227
- Spearman-Brown formula, 420, 467
- Spearman's rank-order correlation (Spearman's rho), 571, 592, 602, **766**
- Specificity, 464–466, **766**
- Speededness, of instruments, 468
- Sponsor, 56
- Spradley's ethnographic method, 276, 518–519
- SPSS (Statistical Package for the Social Sciences), 574, 634, 637, 642, 643
- Stability, of measures, 453–454
- Staffing, research projects, 55–57, *see also* Research personnel
- Stages of Change Model (Prochaska), 150, 251
- Stakeholders, 320
- Standard deviation (SD), 565–567, **766**
- Standard error (SE), **766**
 - of the difference, 594
 - of the difference of proportions, 603
 - of the mean (SEM), 584–585
 - of regression coefficients, 621, 622
- Standardization of treatment, 294
- Standardized mean difference (SMD), 673, **766**
- Standards, qualitative research, 537–538
- Standard (*z*) score, 492, 621, **766**
- Statement of purpose, 81, 88–89, **766**
- Statistic(s), 556, **766**
 - assumptions for, 591, 649–650
 - bivariate, 567–571, **748**

critiquing, 578–579, 609–610, 636–639
descriptive, 556–579, **752**, *see also* Descriptive statistics
inferential, 556, 583–610, **755**, *see also* Inferential statistics
in journal articles, 73, 74
multivariate, 614–639, **759**, *see also* Multivariate statistics
nonparametric, 591, **759**
parametric, 591, **761**
univariate, 567, **768**

Statistical analysis, 68, **767**, *see also* Quantitative analysis; Statistic(s); Statistical tests

Statistical Analysis System (SAS), 642

Statistical conclusion validity, 286–287, 291–295, **767**

Statistical control, 289–290, 291, **767**

Statistical heterogeneity, meta-analysis and, 669

Statistical (null) hypothesis, 99, *see also* Null hypothesis

Statistical inference, **767**, *see also* Inferential statistics

Statistical Package for the Social Sciences (SPSS), 574, 634, 637, 642, 643

Statistical power, 292–293, **767**, *see also* Power analysis

Statistical reliability, 196

Statistical significance, 73, 590, **767**
interpreting, 658
level of, 73, 588–589, **766**
power analysis and, 603
practical significance *vs.*, 658
tests of, 589–591, *see also* Statistical tests

Statistical tests, 73, 587, 589–591, **767**, *see also* Inferential statistics; Multivariate statistics; *specific tests*
between subjects *vs.* within subjects, 591
computer analysis and, 606–609
guide to bivariate tests, 592
guide to multivariate tests, 638
in logistic regression, 630
one-tailed *vs.* two-tailed, 590–591
parametric *vs.* nonparametric, 591
power and, 602–606

Stems, item, positive and negative, 478

Stepwise multiple regression, 620, **767**

Stepwise replication, 547

Stetler Model of Research Utilization, 37

Stipend, 172, 175–176, 352

Stopping rules, sequential clinical trial, 314

Strata, 340, 342–343, 345–346, **767**

Stratification, research design and, 259, 288

Stratified random sampling, 259, 345–346, **767**

Strauss and Corbin's grounded theory method, 231, 526–527

Strengthening the Reporting of Observational Studies in Epidemiology (STROBE), 695

Structural equation modeling (SEM), 493, 632, 633, **767**

Structural question, ethnographic, 276

Structured data collection, 371–372, 414–443, **767**, *see also* Measurement; Scale biophysiologic measures and, 439–442, *see also* Biophysiologic measure critiquing, 443 observation and, 433–439, *see also* Observation self-reports and, 414–433, *see also* Self-report(s)

Structured diary, 418

Student's *t*, 593, *see also* *t*-test

Study, 55, *see also* Research; Research design blinded, 201, 259–260 closed, 201 open, 201 planning for, 66-70, 203-214 quality of, 670–671, 681

Study participant, 55, **767** availability of, 86–87 consent and authorization of, 176–180 controlling intrinsic factors and, 287–291 cooperation of, 87 protection of, 168–169, 170–186 qualitative research and, 552 research reports and, 694, 699 rights of, 67, 170–174, *see also* Ethics, research sampling, 337–361, *see also* Sample; Sampling

Study section, NIH, 722, **767**

Style. *See* Analysis styles; Writing style

Subgroup analysis, 676

Subgroup effect, 351, 376, 658, **767**

Subject, 55, **767**, *see also* Study participant animals as, 186–187 between subjects design, 204 regulations for protection of, 168–169 vulnerable, 182–184 within-subjects design, 204

Subject heading (codes), 110–111

Subject stipend, 172, 175–176, 352

Subscale, 455

Substantive code, 523

Substantive hypothesis, 99

Substantive theory, 151, 231

Substitution, mean, 648
Summary sheet, NIH grant application,, 723
Summated rating scale, 420, *see also* Likert scale
Summative evaluations, 317
Sum of (Σ), 561
Sum of squares (*SS*), 597, 618
Survey research, 323–325, **767**
Surveys, 323–325, *see also* Self-Report(s)
 critiquing, 330, 331
 Delphi, 327–328, **751**
 needs assessments and, 327
 secondary analysis and, 325–326
 windshield, 403
Survival (life table) analysis, 631, **767**
Symbolic interaction, 152, 223–224, 230
Symmetric distribution, 562, **767**
Symmetric translations, 496
Systematic bias, 197, 254
Systematic extension replication, 328
Systematic review, 10, 32–34, 665–686, **767**, *See also* Meta-analysis;
 Metasynthesis
Systematic sampling, 347–348, **767**
T
Table of random numbers, 255–256
Tables
 contingency, 567–568, 569, **750**
 meta-analytic reports and, 679
 research reports and, 696
 statistical, 696-697
Table shell, 652, **767**
Tacit knowledge, 225, **767**
Target population, 338, 339, 353, **767**
Taxonomic analysis, 518
Taxonomy, 518, **767**
Telephone interview, 324
Template, qualitative analysis, 508
Template analysis style, 508, **767**
Temporal ambiguity, 295, 298
Temporality, 227
Terminally ill patients as subjects, 183
Terminology, research, 249–250, 538
Test publishers, 496
Test-retest reliability, 453–454, 468, **767**
Test statistic, 589–590, 591–592, **767**, *see also* Statistic(s); Statistical tests

Text fields, searching, 111
Text retriever software, 513
Thematic analysis, 132, 519, 522
Theme, **767**
 in literature review and analysis, 132
 in qualitative analysis, 70, 73, 515–516, 700
Theoretical codes, 523–524, 525
Theoretical distribution, 584, *see also* Sampling distribution
Theoretical framework, 142, *see also* Conceptual model; Theory
 critiquing, 160–161
 in research reports, 693–694
Theoretical notes, 406–407, **767**
Theoretical sampling, 356–357, **767–768**
Theoretical themes, 132
Theory, 57, 139–141, 144–145, **768**, *see also* Conceptual model
 assessment of, 154, 155
 borrowed, 151
 competing, 154–155
 components of, 140–141
 construct validity and, 461–462
 criteria for testing, 157
 critical, 152, 238, 239, **751**
 descriptive, 140, 714
 development of, 158–160
 of evidence-based practice, 37, 38
 explanatory research and, 21
 grand (macro), 141
 grounded, 63–64, 222, 229–232, **755**, *see also* Grounded theory
 hypotheses and, 94, 96
 ideational, 152
Internet resources for, 140
intervention, 319–320
materialistic, 152
metasynthesis and, 679
middle-range, 141, **758**
mixed method research and, 311
nursing research and, 151
organizing structure for research, 156–157
origin of, 144
purposes of, 144–145
qualitative research and, 151–153
quantitative research and, 66, 153–160
research and, 145
shared, 151

- as source of research problems, 84
- substantive, 151, 231
- testing, 153–156, 311
- types of, 141

Theory-based sampling, 356

Theory-building metasynthesis, 679

Theory-building software, 513

Theory-explication metasynthesis, 679

Theory of Caring (Watson), 147

Theory of Culture Care Diversity (Leininger), 146

Theory of Human Becoming (Parse), 147

Theory of Planned Behavior (Ajzen), 140, 153

Theory of Reasoned Action (Ajzen-Fishbein), 140, 154

Theory of Stress of Coping (Lazarus & Folkman), 150

Theory triangulation, 547, **768**

Therapy, research purpose, 22; *see also* Intervention; Treatment

Theses, 701–703

- proposals for, 713–714

Thick description, 202, 406, 550, **768**

Think aloud method, 398, **768**

Thoroughness, qualitative research and, 540, 541, 544, 551

Threats

- to construct validity, 300–301
- to external validity, 302–303
- to internal validity, 295–297
- to validity, 286, 305

Thurstone scale, 418, 492

Time

- feasibility of research problem and, 86
- qualitative research design and, 221
- quantitative research design and, 206, 208–210
- scale items and, 479

Time factor, RM-ANOVA, 599

Time line, 211, 515, 516, 722–723

Time sampling, 436–437, **768**

Time series design, 267–269, **768**

Time series nonequivalent control group design, 269

Time triangulation, 543, **768**

Title, research report, 698, 700, 718

Tolerance, multiple regression and, 636

Tool. *See* Instrument

Topic, research, 81, 84–85, *see also* Research problem

Topic guide, 394, 395, **768**

Tracing, 297, **768**

Tradition, knowledge source, 12

Training manual, 382–383

Training of data collectors, 382–383

Transcriptions, of interviews, 401, 508–509
focus group interviews and, 528

Transferability, 202, **768**
of findings, as EBP criterion, 47, 48
qualitative data and, 202, 539–540, 544
of themes, 132

Transformation, data, 492, 650

Translating Research Into Practice (TRIP) database, 34

Translating scales, 496–499
back translation, 497–498
centered *vs.* decentered translations, 496
conceptual equivalence in, 496–497
iterative process in, 497–498
semantic equivalence in, 497
testing final version, 498–499
translators in, 497

Translational research, 10

Translators, 497

Transparency, in researchers, 551

Transtheoretical Model (Prochaska), 150, 251

Treatment, 63, 251, **768**, *see also* Experiment; Intervention; Manipulation
adherence to, 294–295, **747**
contamination of, 258, 301
diffusion of, 258, 301
interaction with causal effects, 302–303
participation in, 294–295
reinstitution of, 269, 270
research purpose, 22
unreliable implementation of, 294–295
withdrawal from, 294–295
withdrawal of, 269, 270

Treatment fidelity, 214, 294, 303

Treatment group, **768**

Trend study, 209, **768**

Triage, NIH applications, 723

Trial and error, knowledge source, 12

Triangulation, 196–197, 543, **768**
analysis, 548
bias and, 197–198
data, 543, **751**
investigator, 517, 546–547, **756**

- method, 543, **758**
- mixed method designs and, 309–312
- person, 543, **761**
- space, 543, **766**
- theory, 547, **768**
- time, 543, **768**
- Tri Council Policy Statement on ethics, 168
- Triggers, evidence-based practice, 45
- True score, 451, 456, **768**
- Trust, gaining participants, 384–385
- Trustworthiness, 71, 196, 537–551, **768**
 - confirmability, 196, 539
 - credibility, 196, 538, 539
 - dependability, 196, 539
 - transferability, 539–540
- t*-test, 592, 593–594, **768**
 - computers and, 607–608
 - independent groups, 592, 593–594
 - paired (dependent groups), 592, 595
 - pooled variance *t*-test, 607
 - power analysis, 603–605
 - separate variance *t*-test, 607
- Two-tailed test, 590, **768**
- Two-variable statistics. *See* Bivariate statistics
- Two-way ANOVA, 598–599
- Type I error, 588–589, **768**
- Type II error, 588–589, **768**
 - nonsignificant results and, 656
 - power analysis and, 602–603
 - sample size and, 602–603
- Typical case sampling, 356
- U
- Uncertainty in Illness Theory (Mishel), 149
- Unhypothesized results, 657
- Unimodal distribution, 562, **768**
- Unit of analysis, 33, 354, 517–518, 528, **768**
- Univariate descriptive study, 275–276
- Univariate statistics, 559–567, **768**
- Unrotated factor matrix, 488
- Unstructured data collection, 371–372, 392–410, *see also* Participant observation;
Self-report(s)
 - critiquing, 409, 410
 - observations and, 402–409
 - self-reports and, 392–401

Unstructured interview, 392, **768**
Unstructured observation, 402–409, **768**
U statistic, 592, 596
Utilization. *See* Research utilization
Utrecht school of phenomenology, 519, 521
V
Validation study, scale development and, 492–495
Validity, 196, 286–306, 457–464, **768**
 catalytic, 537
 concurrent, 460, **750**
 confounding, 163, 198–200
 construct, 287, 299–301, 461–464, 494, **750**
 content, 458–459, 482–484, **750**
 convergent, 463, **750**
 criterion-related, 459–461, 468, 494, **751**
 critiquing, 305, 306
 discriminant, 463, **752**
 ecological, 11, **752**
 external, 287, 301–303, **753**
 extraneous, 163, 198–200
 face, 458, **753**
 inference and, 286–291
 internal, 287, 295–299, **756**, *see also* Internal validity
 interpretation of, 464
 mixed method research and, 309–310
 predictive, 460, **762**
 qualitative research and, 536–537
 reliability and, 458
 statistical conclusion, 286–287, 291–295, **767**
 threats to, 286, 305
 tradeoffs and priorities in, 303–306
 types of, 286–287
Validity coefficient, 460, **768**
Van Kaam’s phenomenological method, 519, 520
Van Manen’s phenomenological method, 521
Variability, 58, **768**, *see also* Heterogeneity; Homogeneity
 characteristic of a distribution, 564
 control over. *See* Control, research
 measures of, 564–567
Variable, 58–59, **768**
 active, 58
 attribute, 58
 blocking, 262
 categorical, 58, **748**

- conceptual definitions of, 59
- confounding, 198-200, *see also* Confounding variable
- continuous, 58, **750**
- dependent, 58-59, **751**, *see also* Dependent variable
- dichotomous, 58, **752**
- discrete, 58, **752**
- dummy, 618, 650, **752**
- endogenous, 632
- exogenous, 631-632, **753**
- extraneous, 198-200, **753**, *see also* Extraneous variable
- independent, 58-59, **755**, *see also* Independent variable
- latent, 474, 493, 633, **757**
- manifest, 493, **757**
- mediating, 91, 632, **758**
- moderator, 90-91, **758**
- operational definitions of, 59
- outcome, 58, **760**
- predictor, 616
- in quantitative studies, 90-91
- residual, 632
- stratifying, 262

Variance, 566, **768**

- analysis of, 596-600, *see also* Analysis of variance
- proportion accounted for, 616, 617

VAS (Visual analogue scale), 417-418

Verification

- data entry and, 644-645
- qualitative research and, 551

Videotape equipment, 437

Vignette, 423, **768**

Virtual (operational) replication, 328

Visual analogue scale (VAS), 417-418, **768**

Vividness, qualitative research and, 540, 541, 544

Voice recognition software, 514

Volunteer sample, 354

Vulnerable subject, 182-184, **768-769**

W

Wait-list control group, 253

Wald statistic, 630

Watson's Theory of Caring, 147

Web-based survey, 431-432, **769**

Web of Knowledge, 115

Web of Science, 115

Weighted average, 674

Weighting, 346, 492, **769**
Western Journal of Nursing Research, 6, 7, 704, 706, 707
Whittemore and colleagues' qualitative integrity framework, 540, 541, 544
Wilcoxon signed ranks test, 592, 596, **769**
Wildcard character, 112
Wild code, 645, **769**
Wilks' lambda (λ), 628, **769**
Windshield surveys, 403
Withdrawal from treatment, 294–295
Withdrawal of treatment, 269, 270
Within-subjects design, 204, **769**
Within-subjects test, 591, 599
 paired *t*-test, 595
 repeated measures ANOVA, 599
Workgroup of European Nurse Researchers, 8
Work plan, research proposal, 721
Worldviews on Evidence-Based Nursing, 35
Writing
 research proposals, 726–727
 research reports, 693
Writing style
 critiquing, 709
 of literature review, 133–134
 of research reports, 74, 75, 701
Y
Yea-sayers, 432–433
Z
Zelen design, 259, **769**
z (standard) score, 492, 621, **769**